

## Pollution controls help red spruce rebound from acid rain

July 11 2018, by Lisa Rathke



In this June 12, 2018, photo, U.S. Forest Service scientist Paul Schaberg stands beside a healthy red spruce tree growing on Mount Mansfield in Stowe, Vt. Schaberg is co-author of a new study that found that the tree species, once heavily damaged by acid rain, is rebounding in five Northeast states due to stricter air pollution regulations and a changing climate. (AP Photo/Lisa Rathke)

The gray trunks of red spruce trees killed by acid rain once heavily scarred the mountain forests of the Northeast. Now those forests are



mostly green, with the crowns of red spruce peeking out of the canopy and saplings thriving below.

A main reason, scientists say, is a government-enforced reduction in the kind of air pollution that triggers acid rain.

"We've seen it go full arc from declining for some unknown reason, to figuring out the reason, to them doing something about the cause and then the tree responding and rebounding again," said Paul Schaberg, a plant physiologist with the U.S. Forest Service and a co-author of a new study on red spruce who has been researching the species since the 1980s. "It's just an amazing science arc."

In the 1960s through the 1980s, pollution—mostly from coal-powered plants in the Midwest and car emissions carried by the wind and deposited as acidic rain, snow and fog—devastated Northeast forests and lakes, leaching nutrients from soil and killing aquatic life.

Red spruce are particularly sensitive to acid rain and, at the height of the die-off, some forests lost 50 percent of them.

But decades later, not all the environmental damage is turning around at the pace of the red spruce.

Waterways are now showing signs of recovery, as are the upper layers of soil, although they are still strained by the acid deposits. Researchers are finding fish in lakes deemed fishless for years, but the populations are not large and the variety of species is not as diverse as before, said Gregory Lawrence, a research scientist with the U.S. Geological Survey who is based in Troy, New York.





In this June 12, 2018, photo, Alexandra Kosiba, staff scientist with the Forest Ecosystem Monitoring Cooperative at the University of Vermont, checks the growth of a red spruce tree on Mount Mansfield in Stowe, Vt. Kosiba led a study that found that the red spruce, once heavily damaged by acid rain, is rebounding in five Northeast states. (AP Photo/Lisa Rathke)

In the 1980s, University of Vermont scientist Hubert Vogelmann brought national attention to the acid rain issue by linking air pollution to forest damage on the slopes of Vermont's Green Mountains. Airborne chemicals reacted with water and oxygen and then, carried by the wind, were deposited as acidic rain, snow and fog.

The images of dead trees littering mountains in the 1980s helped inspire changes to the Clean Air Act in 1990. The amendments proposed by President George H.W. Bush in 1989 mandated reductions in certain gas emissions and boosted regulation of toxic pollutants.



The first signs of healthier red spruce trees in the northeastern U.S. came about five years ago, scientists said, and they decided to take a closer look.

The researchers examined 658 red spruce trees in 52 plots in Vermont, New Hampshire, New York, Massachusetts and Maine. They found that 75 percent of the trees and 90 percent of the plots showed increasing growth since 2001. They credit cleaner air and a warming climate that extended the growing season.



In this June 12, 2018, photo, a healthy red spruce tree, center, grows on Mount Mansfield in Stowe, Vt. A new study found that the tree species, once heavily damaged by acid rain, is rebounding in five Northeast states due to stricter air pollution regulations and a changing climate. (AP Photo/Lisa Rathke)



"Higher temperatures help some species and hurt others—right now, red spruce are benefiting, but they could be vulnerable to change in the future," Schaberg said.

Similar trends are emerging in the Appalachian Mountains in West Virginia, which were also hit by acid rain, according to a recent report in the Global Change Biology journal.

The two studies provide further evidence that addressing causes of acid rain helped the species recover, said Timothy Fahey, a forest ecologist and professor at Cornell University.

That recovery should help efforts to restore red spruce forests to mountains in central Appalachia, where they were heavily logged in the late 1800s and early 1900s, reducing the habitat for the now-endangered Carolina northern flying squirrel.





In this June 12, 2018, photo, Alexandra Kosiba, staff scientist with the Forest Ecosystem Monitoring Cooperative at the University of Vermont, holds pine cones from red spruce trees growing on Mount Mansfield in Stowe, Vt. Kosiba led a study that found that the red spruce, once heavily damaged by acid rain, is rebounding in five Northeast states. (AP Photo/Lisa Rathke)

Last month in Vermont, Schaberg was hiking through the woods on Mount Mansfield, Vermont's highest peak, with Alexandra Kosiba, lead researcher for their study in the journal Science of the Total Environment. They found red spruce at middle elevations and higher that were thriving. The trees were surrounded by saplings, and seedbearing cones lay on the ground.

"This is a good sign that the species is doing well in the near term, and then the future forests will have red spruce," said Kosiba, a staff scientist for the Forest Ecosystem Monitoring Cooperative at the University of Vermont.





In this June 12, 2018, photo, Alexandra Kosiba, staff scientist with the Forest Ecosystem Monitoring Cooperative at the University of Vermont, displays a core sample she took from a red spruce tree on Mount Mansfield in Stowe, Vt. Kosiba led a study that found that the red spruce, once heavily damaged by acid rain, is rebounding in five Northeast states. (AP Photo/Lisa Rathke)





In this June 12, 2018, photo, U.S. Forest Service scientist Paul Schaberg stands near a healthy red spruce tree growing on Mount Mansfield in Stowe, Vt. Schaberg is co-author of a new study that found that the tree species, once heavily damaged by acid rain, is rebounding in five Northeast states due to stricter air pollution regulations and a changing climate. (AP Photo/Lisa Rathke)





In this 2003 photo provided by Paul Schaberg, red spruce trees exhibit winter injury to their needles, aggravated by deposits from acid rain, in Warren, Vt. Schaberg is co-author of a study published in May 2018, saying that the tree species, once heavily damaged by acid rain, is rebounding in five Northeast states due to stricter air pollution regulations and a changing climate. (Paul Schaberg via AP)

## © 2018 The Associated Press. All rights reserved.



Citation: Pollution controls help red spruce rebound from acid rain (2018, July 11) retrieved 11 June 2024 from <u>https://phys.org/news/2018-07-pollution-red-spruce-rebound-acid.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.