


Can pollution alter wildlife behaviour?

July 27 2018



Heatmap of time spent in an area for *G. pulex* thigmotaxis trials. Credit: University of Portsmouth

A team of scientists from the University of Portsmouth have developed new scientific tests to better understand the effects of pollution on wildlife behaviour.

The field of behavioural toxicology is gaining traction within the environmental sciences with an increasing number of studies demonstrating that chemical exposure can alter animal behaviour.

An organism's behaviour is fundamentally important to their survival through feeding, finding mates and escaping predators. Any chemical which could interfere with these responses has the potential to impact the food chain.

Using small shrimp-like crustaceans called amphipods, which are commonly used to monitor environmental toxicology, a team led by Professor Alex Ford and Ph.D. student Shanelle Kohler, have been designing experiments to best answer these questions. In previously determining that these animals prefer to swim away from the light (negative phototaxis) and preferably be touching the sides of the tanks (positive thigmotaxis) they first set about asking whether these preferences could be altered by the size and shape of their testing tanks.

The results from their study, published this month in the journal *PeerJ*, found that tank size and shape can alter their exploratory behaviours, the time they spent next to a wall (wall-hugging) and the speed at which they swam. In a second set of experiments, the results published in this month's *Aquatic Toxicology* journal, they wanted to determine whether two closely related species (one marine and one freshwater amphipod) reacted in the same way to a stimulus of light. Interestingly, they found that the two species reacted very differently to a short (two-minute) burst of light.

Professor Ford from the University's Institute of Marine Sciences, said: "These results are really important for us and the scientific community in determining the correct experimental design. If scientists don't give the organisms the space to behave they might not detect the impacts of chemical pollution."

He added: "Environmental toxicologists around the world often use similar processes but not always for the same species for their pollution testing. This could lead to two groups of scientists getting very different results if their study organism are not the same species. For example, a chemical might have the capacity to alter a certain behaviour but if two closely related species have subtly different reactions to a stimulus (light for example) then this might mask the impacts of the pollutant."

Shanelle Kohler said: "These results highlight the importance of standardising behavioural assays, as variations in experimental design could alter animal behaviour. It is essential to gather baseline behaviours on your test organism to ensure that they are sensitive to your assay and prevent erroneous interpretations of results, for example is your animal unaffected by your contaminant or are they simply not sensitive to your assay?"

Co-author on the paper Dr. Matt Parker, Senior Lecturer in Behavioural Pharmacology and Molecular Neuroscience at the University of Portsmouth, said: "One of the critical issues in scientific ethics is the necessity to choose the least sentient organism possible for use in research. This set of studies has highlighted behavioural diversity in two closely related invertebrate species, suggesting that these organisms may be useful for studying the basis of more complex behaviours, and the potential to study the effects of different drugs on behavioural responses."

More information: Shanelle A. Kohler et al. Shape and size of the arenas affect amphipod behaviours: implications for ecotoxicology, *PeerJ* (2018). [DOI: 10.7717/peerj.5271](https://doi.org/10.7717/peerj.5271)

Provided by University of Portsmouth

Citation: Can pollution alter wildlife behaviour? (2018, July 27) retrieved 20 April 2024 from <https://phys.org/news/2018-07-pollution-wildlife-behaviour.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.