


# Study reveals the Great Pyramid of Giza can focus electromagnetic energy

July 31 2018, by Anastasia Komarova



Propagation of electromagnetic waves inside the pyramids of Cheops at different lengths of radio waves (from 200 to 400 meters). The black rectangular position of the so-called King's Chamber. Credit: ITMO University, Laser Zentrum Hannover

An international research group has applied methods of theoretical physics to investigate the electromagnetic response of the Great Pyramid to radio waves. Scientists predicted that under resonance conditions, the pyramid can concentrate electromagnetic energy in its internal chambers and under the base. The research group plans to use these theoretical results to design nanoparticles capable of reproducing similar effects in the optical range. Such nanoparticles may be used, for example, to

develop sensors and highly efficient solar cells. The study was published in the *Journal of Applied Physics*.

While Egyptian [pyramids](#) are surrounded by many myths and legends, researchers have little scientifically reliable information about their physical properties. Physicists recently took an interest in how the Great Pyramid would interact with electromagnetic waves of a resonant length. Calculations showed that in the resonant state, the pyramid can concentrate [electromagnetic energy](#) in its internal chambers as well as under its base, where the third unfinished chamber is located.

These conclusions were derived on the basis of numerical modeling and analytical methods of physics. The researchers first estimated that resonances in the pyramid can be induced by radio waves with a length ranging from 200 to 600 meters. Then they made a model of the electromagnetic response of the pyramid and calculated the extinction cross section. This value helps to estimate which part of the incident wave energy can be scattered or absorbed by the pyramid under resonant conditions. Finally, for the same conditions, the scientists obtained the electromagnetic field distribution inside the pyramid.

In order to explain the results, the scientists conducted a multipole analysis. This method is widely used in physics to study the interaction between a complex object and electromagnetic field. The object scattering the field is replaced by a set of simpler sources of radiation: multipoles. The collection of multipole radiation coincides with the field scattering by an entire object. Therefore, knowing the type of each multipole, it is possible to predict and explain the distribution and configuration of the scattered fields in the whole system.

The Great Pyramid attracted the researchers while they were studying the interaction between light and dielectric nanoparticles. The scattering of light by nanoparticles depends on their size, shape and refractive

index of the source material. Varying these parameters, it is possible to determine the resonance scattering regimes and use them to develop devices for controlling light at the nanoscale.

"Egyptian pyramids have always attracted great attention. We as scientists were interested in them as well, so we decided to look at the Great Pyramid as a particle dissipating [radio waves](#) resonantly. Due to the lack of information about the [physical properties](#) of the pyramid, we had to use some assumptions. For example, we assumed that there are no unknown cavities inside, and the building material with the properties of an ordinary limestone is evenly distributed in and out of the pyramid. With these assumptions made, we obtained interesting results that can find important practical applications," says Dr. Sc. Andrey Evlyukhin, scientific supervisor and coordinator of the research.

Now, the scientists plan to use the results to reproduce similar effects at the nanoscale. "Choosing a material with suitable electromagnetic properties, we can obtain pyramidal nanoparticles with a promise for practical application in nanosensors and effective [solar cells](#)," says Polina Kapitainova, Ph.D., a member of the Faculty of Physics and Technology of ITMO University.

**More information:** Mikhail Balezin et al, Electromagnetic properties of the Great Pyramid: First multipole resonances and energy concentration, *Journal of Applied Physics* (2018). [DOI: 10.1063/1.5026556](#)

Provided by ITMO University

Citation: Study reveals the Great Pyramid of Giza can focus electromagnetic energy (2018, July 31) retrieved 27 April 2024 from <https://phys.org/news/2018-07-reveals-great-pyramid-giza->

[focus.html](#)

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.