

Titanium dioxide as a nanoscale sensor of mechanical stress

July 31 2018



Scientists from EPFL, Germany and France have revealed a new property of the cheap and abundant material anatase titanium dioxide, which promises applications as a medium for room-temperature nanosensors of mechanical stress with an optical read-out.

Measuring <u>mechanical stress</u> in the nano-world is a major challenge in



materials science and engineering. Key to this advancement is the ability to combine cheap nano-sized materials that react to mechanical stress and simple detection schemes. A promising route would involve the development of sensors with an optical read-out. However, there are no known nano-materials that change their light-absorbing properties upon application of mechanical stress in a simple and predictable way, especially at room temperature. Such materials would be extremely useful in a number of sensing applications, ranging from bioscience to metrology.

In a twist, the lab of Majed Chergui at EPFLwithin the Lausanne Centre for Ultrafast Science, in collaboration with the theoretical groups of Angel Rubio at Max-Planck (Hamburg) and Pascal Ruello at the Université de Le Mans, has demonstrated that nanoparticles of the anatase polymorph of <u>titanium</u> dioxide can revolutionize the field.

Titanium dioxide is a cheap and <u>abundant material</u> that is already used in a wide variety of applications such as photovoltaics, photocatalysis, transparent conductive substrates, sunscreen, paints, water and air purification. With their recent discovery, published in *Nano Letters*, Chergui and his colleagues show that titanium dioxide is the most promising candidate for the development of room-temperature sensors of strain at the nanoscale and with an optical read-out.

In their experiments, the researchers launched a mechanical stress wave inside titanium dioxide nanoparticles at <u>room temperature</u> and monitored their optical response in the vicinity of the main absorption band of the material, called an "exciton". They found that the latter undergoes a change of intensity under the applied mechanical stress. This simple response is at odds with the behavior of all known materials, whose optical responses to mechanical stress are complex and unpredictable. These new findings pave the way to the development of sensors with an optical read-out based on a single laser frequency tuned to the exciton



resonance.

Considering that <u>titanium dioxide</u> is already embedded in a large range of devices and there is wide expertise available for combining it with other systems, these findings promise a new generation of optical sensors of mechanical <u>stress</u> at the nanoscale.

"This observation was made possible thanks to our novel ultrafast laser techniques in the deep-ultraviolet. We expect our experimental method to lead to even more exciting discoveries in the nano-world in the near future," says Edoardo Baldini(first author of the article, now at MIT).

More information: Edoardo Baldini et al. Phonon-Driven Selective Modulation of Exciton Oscillator Strengths in Anatase TiO2 Nanoparticles, *Nano Letters* (2018). <u>DOI: 10.1021/acs.nanolett.8b01837</u>

Provided by Ecole Polytechnique Federale de Lausanne

Citation: Titanium dioxide as a nanoscale sensor of mechanical stress (2018, July 31) retrieved 27 June 2024 from https://phys.org/news/2018-07-titanium-dioxide-nanoscale-sensor-mechanical.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.