

VTT develops piglet vaccination to reduce antibiotics use

July 2 2018

VTT Technical Research Centre of Finland has developed a vaccine, diluted into drinking water, to treat diarrhoea on piglets being weaned. The vaccine reduces the global resistance problem caused by excessive antibiotic use.

The [vaccine](#) developed by VTT is a new type of product which can replace antimicrobial drugs, such as zinc oxide, used in pig production. Bacterial strains resistant to antibiotics have become a global health threat. Bacteria do not know any boundaries, so this is also a problem for Finland, although Finland uses antibiotics in moderation when treating farm [animals](#).

"The vaccine's production method has proved to be very effective, and it can also be used in the development of other animal vaccines. The method may be available commercially already in the next few years," says Principal Scientist Jussi Joensuu of VTT.

Before that, however, it must be shown in practice that the vaccine is effective and safe. The first animal test was carried out this summer in Belgium, and the results in terms of efficiency are promising.

"When administered in [drinking water](#), the vaccine offers protection exactly where it is needed, namely in the intestine. If the vaccine was injected, most of the antibodies would remain in the bloodstream," says Joensuu.

When still suckling, piglets get enough protection from the sow's milk. The disease emerges when piglets go from liquids to solids, enabling harmful bacteria – usually *E. coli* – to attach to the intestine. At this stage, the piglet's own antibody production is only starting, and pathogenic bacteria get a foothold in the small intestine leading to diarrhoea. The piglet suffers, its growth slows down and in extreme cases, the diarrhoea causes death. Piglet scour is estimated to cause annual losses of 1–2 billion euros globally.

The vaccine is administered to piglets in drinking water after weaning. The piglet's immune system will recognise the vaccine molecule and start creating antibodies against the bacteria. The antibodies will prevent bacteria from attaching to the receptors in the small intestine, thereby preventing diarrhoea.

Currently porcine post weaning diarrhoea is prevented by means of, for example, diet, hygienic rearing conditions and antibiotics. Globally speaking, up to 70 per cent of antibiotics are used on animals, especially [farm animals](#).

Filamentous fungus as the expression system

The background for this development lies in Joensuu's dissertation in 2006 in which he proved the effectiveness of the vaccine molecule. At that time the idea was to produce the vaccine molecules in transgenic plants, but the method was not commercially viable.

The expression system chosen by VTT was filamentous fungus *Trichoderma reesei*. The vaccine is produced by means of fermentation process in a closed bioreactor.

Resistance to antibiotics is a serious health threat

According to the World Health Organization, resistance to antibiotics is a global health threat. This means that antibiotics no longer have the same effectiveness. This increases human and animal illness and mortality and increases health care costs. Resistance to [antibiotics](#) has become one of the most serious threats to medicine and veterinary medicine.

Provided by VTT Technical Research Centre of Finland

Citation: VTT develops piglet vaccination to reduce antibiotics use (2018, July 2) retrieved 3 May 2024 from <https://phys.org/news/2018-07-vtt-piglet-vaccination-antibiotics.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--