

Animals and fungi enhance the performance of forests

August 2 2018



Spiders and other animals are important for forest ecosystems. Credit: Julia Zimmermann

A new study shows that in addition to the diversity of tree species, the variety of animal and fungus species also has a decisive influence on the performance of forests. Besides timber production, forest performance contributes to carbon storage and climate regulation. The study is based on 10 years of research in species-rich subtropical forests. A team of researchers led by the German Centre for Integrative Biodiversity Research (iDiv) and the Martin-Luther-University Halle-Wittenberg has published the results in the new issue of *Nature Communications*. They illustrate that biodiversity must be viewed as a whole in order to maintain the performance of forests.

There is a global concern that the loss of [biodiversity](#) caused by humans is impairing the functioning of cultural and natural landscapes. In the forests, [trees](#) are the most conspicuous and prominent organisms. The consequences of reduced [tree species diversity](#) are therefore comparatively easy to grasp. However, it is much more difficult to take into consideration the diversity of the thousands animal and micro-organism [species](#) that perform important tasks in forests as herbivores, pest controllers or recycling specialists. Therefore, the effects of a loss of this species diversity have so far been difficult to quantify. After years of dedication, a team of German, Chinese, Swiss and American researchers has now succeeded in doing this for the first time for particularly species-rich, semi-natural forests in the subtropics of China. The research group has studied the enormous species diversity of beetles, spiders, ants, woodlice and fungi, and investigated a variety of processes that are essential for the functioning of the forests. These processes include the growth of timber, the prevention of soil erosion, the recycling of nutrients or the biological control of potential pests.

"Our analyses show that the diversity of animal and fungal species affects numerous important processes—such as the availability of nutrients for tree growth," said Dr. Andreas Schuldt, first author of the study, from the German Centre for Integrative Biodiversity Research

(iDiv) and the Martin-Luther-University Halle-Wittenberg. "To understand why and how a loss of biodiversity affects these forests, it is not enough to concentrate solely on the trees and their [species diversity](#)."

The species richness of herbivores and their competitors was also important, a key finding with regard to the expected intensification and the possible prevention of pest infestation with progressive climate change. Furthermore, besides animals and fungi, the researchers found that the multifunctionality of [forest](#) stands is influenced not so much by the number of tree species as by their functional properties and the resulting composition of different types of tree species.

"Our previous knowledge on the relationships between multifunctionality and biodiversity mainly comes from comparatively species-poor forests in Europe and North America," said Prof Helge Bruelheide, spokesperson of the research group and senior author of the study. "We can now show for the first time that such relationships in the extremely species-rich subtropics and tropics follow their own dynamics. This is important to understand because these forests are of great importance for global biogeochemical cycles and for us humans."

The results of the study also allow deductions for the management of forests under ever-changing environmental conditions and therefore provide important basic data.

More information: Andreas Schuldt et al, Biodiversity across trophic levels drives multifunctionality in highly diverse forests, *Nature Communications* (2018). [DOI: 10.1038/s41467-018-05421-z](https://doi.org/10.1038/s41467-018-05421-z)

Provided by German Centre for Integrative Biodiversity Research (iDiv)
Halle-Jena-Leipzig

Citation: Animals and fungi enhance the performance of forests (2018, August 2) retrieved 25 April 2024 from <https://phys.org/news/2018-08-animals-fungi-forests.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.