


How climate change influences wind power

August 6 2018



Changes of mean annual wind power production (Eout, in percent) in Europe from 2071 to 2100 compared to 1971 to 2000. Credit: Moemken et al. (2018), edited by J. Mömken, KIT

Climate change poses a big challenge for wind energy production in Europe. This is the conclusion of a study carried out by researchers at Karlsruhe Institute of Technology (KIT) using spatially and temporally highly resolved climate models. The mean wind power production of the entire European continent will change only slightly by the end of the 21st century. However, stronger seasonal fluctuations and a more frequent occurrence of low wind phases are expected.

Electricity from renewable sources already contributes a major share to

the European energy supply. In the course of the energy transition, the share of regenerative sources in the German energy mix will be further increased. Wind power has proved to be a promising renewable energy source. Still, since wind power production is strongly influenced by the prevailing weather and climate conditions, it is subject to both short-term fluctuations and climate change. Scientists of the Regional Climate and Weather Hazards group of KIT's Institute of Meteorology and Climate Research – Troposphere Research Division (IMK-TRO), together with researchers of the University of Cologne, analyzed [regional climate](#) projections to study future changes of wind speeds and wind energy potentials in Europe until the end of this century. The results are now published in the *Journal of Geophysical Research: Atmospheres*.

For their study, the researchers used a model ensemble of high spatial and temporal resolution, which is based on simulations of the European climate modeling project EURO-CORDEX (Coordinated Regional Climate Downscaling Experiment – European Domain). CORDEX is the regional contribution to the IPCC (Intergovernmental Panel on Climate Change). The spatial resolution is twelve kilometers, and the temporal resolution is three hours. This allows for a more precise quantification of wind power production on the regional scale. For the calculations, a typical wind power plant with a hub height of 100 m is assumed.

The analysis reveals that only small variations of mean wind power production are to be expected at the continental scale for Europe by the end of the 21st century. These variations should remain within the range of plus/minus 5%. "For some countries, however, much higher changes in the range of plus/minus 20% can be expected" says Professor Joaquim G. Pinto, who leads the "Regional Climate and Weather Hazards" group at IMK-TRO. "Moreover, these changes may be subject to strong seasonal fluctuations."

According to the study, an increased variability of wind power

production on different time scales has to be expected for large parts of northern, central, and eastern Europe, from daily to annual time scales. Wind speeds optimal for power production are expected to occur somewhat less frequently over the sea areas. At the same time, more frequent low wind phases with wind speeds below 3 m per second are expected over continental Europe. This will further increase the volatility of wind power production.

According to the projections, climate change will affect wind power production in various areas in different ways. "In the Baltics and the Aegean, wind power production might profit from climate change," says Julia Mömken, who is a member of the "Regional Climate and Weather Hazards" group of IMK-TRO. "By contrast, negative impacts are expected for Germany, France, and the Iberian Peninsula." The projected changes imply big challenges for wind power production in Europe. However, appropriate countermeasures, such as an extended use of decentralized wind energy production and a more extensive and reliable European power distribution grid might reduce the impacts of [climate change](#) on wind power production.

More information: Julia Moemken et al. Future Changes of Wind Speed and Wind Energy Potentials in EURO-CORDEX Ensemble Simulations, *Journal of Geophysical Research: Atmospheres* (2018). [DOI: 10.1029/2018JD028473](https://doi.org/10.1029/2018JD028473)

Provided by Karlsruhe Institute of Technology

Citation: How climate change influences wind power (2018, August 6) retrieved 1 May 2024 from <https://phys.org/news/2018-08-climate-power.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.