


Corals and algae go back further than previously thought, all the way to Jurassic Period

August 9 2018



Because they all appear as tiny round spheres with few features to tell them apart, the symbiotic microscopic algae of corals were once thought to belong to a single species found in all reef-building corals. These symbionts are now

recognized to be a group that comprises hundreds and possibly thousands of species that can be sorted into at least 15 genera. Credit: Todd C. LaJeunesse

Algae and corals have been leaning on each other since dinosaurs roamed the earth, much longer than had been previously thought, according to new research led by scientists at Oregon State University and Penn State.

The findings, published today in *Current Biology*, are a key advance toward a better understanding of [coral](#) reefs, the Earth's largest and most significant structures of biological origin.

Reefs are found in less than 1 percent of the ocean but are home to nearly one-quarter of all known marine species. They also help regulate the sea's carbon dioxide levels and are a crucial hunting ground that scientists use in the search for new medicines.

Corals are made up of interconnected animal hosts called polyps that house microscopic algae, commonly known as zooxanthellae, inside their cells. The coral-algal symbiosis, or partnership, is the foundation of the entire [coral reef ecosystem](#); the polyps receive food from the algae, and the polyps in turn provide nutrients and protection to the algae.

That symbiosis goes back roughly 160 million years—about 100 million years longer than scientists had thought—according to an international research collaboration headed by John Parkinson of Oregon State and Todd LaJeunesse of Penn State. It's also more diverse than had been assumed.

"Presently, numerous algal lineages called 'clades' are lumped into just one genus," said Parkinson, a postdoctoral scholar in OSU's College of

Science. "We provide evidence that the family actually consists of at least 15 genera that include hundreds and possibly thousands of species worldwide."



Corals, like the branching *Acropora* featured here, are animals that construct massive reef frameworks and are the basis of coral reef ecosystems. These corals ultimately depend on micro-algal symbionts that capture light from the sun and convert it to nutrients for the host coral's growth and survival. Credit: Tobin T. Smith

The distinctions are important, he said, because some symbionts are more resilient than others to changes in the environment.

Many corals bleach, or lose their algae, when exposed to higher than usual ocean temperatures. But others are far more tolerant of heat, and some of that resilience depends on the algal species.

In general corals are bleaching about 4.5 times as frequently as they did in 1980, with severe bleaching events now occurring about every six years instead of every 25 or 30 years.

"The updated naming scheme we came up with offers a clear framework to identify different symbionts," he said. "Accurate taxonomy is a critical step in any biological research and is especially true for studies attempting to understand how reef corals and their micro-algae may adapt to climate change."

The research also suggests that given their long history, coral-algal partnerships have endured numerous climate change events in their long history, meaning that at least some are likely to survive modern-day global climate change as well.

"Over all of those millions of years, partnerships have faced major hurdles and managed to bounce back," LaJeunesse said. "The fossil record shows today's reef-building corals, like the algae, arose around 160 million years ago. Finding that the origin of the symbionts corresponds to that of their hosts implies that the partnership was one of the major reasons for the diversification and success of modern corals."

LaJeunesse, Parkinson and several other researchers used genetic sequencing and other techniques to recalibrate the algae's molecular clock.

Parkinson noted the team has been working for close to a decade to modernize coral symbiont systematics and taxonomy—the identification and naming of species—to improve communication among scientists and facilitate further study.

"Until now, much research on these [algae](#) attempted to compare apples to apples, but we now know that often we are comparing apples to oranges considering how divergent some of these species are," he said. "Our work will help researchers to think more objectively about the comparisons they are making in experiments."

Provided by Oregon State University

Citation: Corals and algae go back further than previously thought, all the way to Jurassic Period (2018, August 9) retrieved 20 April 2024 from <https://phys.org/news/2018-08-corals-algae-previously-thought-jurassic.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.