

Effective fisheries management can reduce extinction risk of marine fish stocks

August 24 2018



Credit: University of British Columbia

Numerous studies have highlighted that climate change impacts will put vulnerable marine species at risk of local and even global extinction; however, local actions through effective fisheries management can reduce the probability of those species' extinction risk by as much as 63



per cent, says a new UBC study.

Researchers looked at 825 exploited marine <u>fish species</u> across the global ocean, and analyzed their extinction risks due to <u>climate</u> change and fishing impacts. They calculated a conservation risk index for these species based on the ocean changes that they are, and will be, exposed to, their biological sensitivity to climate change, and potential ability to adapt. Their results showed that 499 of the assessed species are projected to experience very high risk from both overfishing and climate change under a 'business?as?usual' scenario, by 2050. They found that this risk level is equivalent to having at least one fifth of these species listed as vulnerable or endangered under the International Union for Conservation of Nature (IUCN) Red List of Endangered Species.

"Effective fisheries management plans, coupled with actions to limit greenhouse gas emissions, both separately, but especially in tandem, would have an immediate effect on the number of marine species that face extinction," said William Cheung, lead author and Associate Professor in the Institute for the Oceans and Fisheries at the University of British Columbia. "We can save hundreds of fish stocks from becoming endangered species with sustainable fisheries and low greenhouse gas emissions."

Sharks and rays have the highest <u>extinction risk</u> under 'business as usual' fishing and <u>climate change scenarios</u>. The Dusky smoothhound shark (Mustelus canis) is expected to be the hardest hit, with other species at high risk including Dungat grouper (Epinephelus goreensis), Tarpon (Megalops atlanticus), and Law croaker (Pseudotolithus senegallus). Many of these species are already considered endangered for nonclimatic reasons, such as overfishing. This study indicated that the estimated combination of climate and fishing risks means that they are even more likely to become extinct.



The areas with more at?risk species due to climate change are in the tropical and subtropical oceans, while those species at risk due to fishing are distributed more broadly, with higher concentration in the North Atlantic and South Pacific Ocean.

"Our study showed the need to support adaptation to climate change, while insuring effective fisheries management in these regions," said Gabriel Reygondeau, a postdoctoral fellow at UBC's Institute for the Oceans and Fisheries and co-author on the paper. "Some actions are already underway; for example, nine nations and the European Union agreed to prohibit commercial fishing in the central Arctic Ocean for at least 16 years starting in 2017. Similar proactive planning for the potential interactions between <u>climate change</u> and fishing is needed."

More information: William W. L. Cheung et al, Opportunities for climate-risk reduction through effective fisheries management, *Global Change Biology* (2018). DOI: 10.1111/gcb.14390

Provided by University of British Columbia

Citation: Effective fisheries management can reduce extinction risk of marine fish stocks (2018, August 24) retrieved 30 April 2024 from <u>https://phys.org/news/2018-08-effective-fisheries-extinction-marine-fish.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.