

First global survey of soil genomics reveals a war between fungi and bacteria

August 1 2018



Global warfare between bacteria and fungi. Credit: EMBL/Hildebrand/Krolik in collaboration with Campbell Medical Illustration

Soil is full of life, essential for nutrient cycling and carbon storage. To better understand how it functions, an international research team led by



EMBL and the University of Tartu (Estonia) conducted the first global study of bacteria and fungi in soil. Their results show that bacteria and fungi are in constant competition for nutrients and produce an arsenal of antibiotics to gain an advantage over one another. The study can also help predict the impact of climate change on soil, and help us make better use of natural soil components in agriculture. *Nature* publishes the results on 1 August 2018.

Research on the soil microbiome requires scientists to get their hands dirty. Over the course of five years, 58.000 soil samples were collected from 1450 sites all over the world (40 subsamples per site), that were carefully selected to be unaffected by human activities such as agriculture. First authors Mohamad Bahram (University of Tartu) and Falk Hildebrand (EMBL), together with a large team of collaborators, set up this massive project, gathered samples, and analysed the 14.2 terabyte dataset. Of the 1450 sites sampled, 189 were selected for indepth analysis (see Figure 1), covering the world's most important biomes, from tropical forests to tundra, on all continents.

Global microbial war

Only half a percent of the millions of genes found in this study overlapped with existing data from gut and ocean microbiomes. "The amount of unknown genes is overwhelming, but the ones we can interpret clearly point to a global war between bacteria and <u>fungi</u> in soil," says Peer Bork, EMBL group leader and corresponding author of the paper.

Overall, the bacterial diversity in soil is lower if there are relatively more fungi. The team also found a strong link between the number of antibiotic resistance genes in bacteria and the amount of fungi, especially those with potential for <u>antibiotics</u> production such as Penicillium. Falk Hildebrand: "This pattern could well be explained by the fact that fungi



produce antibiotics in warfare with bacteria, and only bacteria with adequate <u>antibiotic resistance genes</u> can survive this."

"The antagonism between fungi and bacteria influences the overall diversity of bacterial communities and determines their genetic repertoire of antibiotic resistance", says Mohamad Bahram. This information can be used to predict the spread of genes that lead to <u>antibiotic resistance</u> in different ecosystems, and via what routes they may reach human pathogens. It could also help predict and pinpoint locations with high levels of natural antibiotics producers.

Regional differences

The team also found regional differences in the distribution of bacteria and fungi. Bacteria are everywhere, with the highest genetic diversity in temperate zones with a moderate climate. Environmental factors such as temperature are most decisive in their relative abundance: they often prefer hot and wet locations. Fungi are usually more prevalent in colder and dryer climates like the tundra. They also tend to be more geographically restricted, with differences in populations between continents. This implies that the relative contributions of bacteria and fungi to <u>nutrient cycling</u> are different around the world, and that global climate change may affect their composition and function differently.

Effects of human activity

When comparing data from the unspoiled soil sites with data from locations affected by humans, such as farmland or garden lawns, the ratios between bacteria, fungi and antibiotics were completely different. According to the scientists, this shift in the natural balance—that probably evolved over most of the earth's history—shows the effect of human activities on the soil microbiome, with unknown consequences so



far. However, a better understanding of the interactions between fungi and <u>bacteria</u> in soil could help to reduce the usage of <u>soil</u> fertilizer in agriculture, as one could give beneficial microorganisms a better chance at survival in their natural environment.

More information: Mohammad Bahram et al, Structure and function of the global topsoil microbiome, *Nature* (2018). DOI: 10.1038/s41586-018-0386-6

Provided by European Molecular Biology Laboratory

Citation: First global survey of soil genomics reveals a war between fungi and bacteria (2018, August 1) retrieved 9 May 2024 from <u>https://phys.org/news/2018-08-global-survey-soil-genomics-reveals.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.