

Perfect inversion of complex structures

August 23 2018, by Oliver Morsch



Model of the perfect inversion of a magnetic or electric structure. The bottom layer contains the information on the structure. The intermediate layer can be switched with the applied field. The reversal is depicted from left to right. The top layer shows the distribution of magnetization or polarization in the material. Credit: ETH Zurich

Perfectly inverting complex structures is of great technical importance. Researchers at ETH have now succeeded in turning the magnetic and electric structure of materials into their opposites using a single magnetic field pulse.



In unpleasantly loud environments, active noise reduction has been used in earphones and luxury cars in recent years. A microphone picks up the disturbing noise, from which a computer chip calculates the appropriate countermeasures: sound waves whose phases are exactly opposite to those of the ambient sound. The interference between those waves effectively erases the noise. Physicists and engineers seek to apply this principle of perfect inversion to other technologies—for instance, to the magnetic structure of materials. ETH professor Manfred Fiebig and his collaborators at the Department of Materials in Zurich have now succeeded in doing just that, with support from scientists in Europe, Japan and Russia. Their results are published this week in the scientific journal *Nature*.

Fiebig's team used so-called multiferroics for their experiments. Unlike many other materials that have either magnetic or electric order, multiferroics possess both: They are magnetically and, at the same time, electrically polarized and, as a consequence, align themselves both along magnetic and along electric fields. The physical mechanisms that bring about the magnetic and electric order inside the material are subtly coupled to each other. This makes it possible to influence the magnetization using electric fields rather than magnetic fields. "That's much more efficient, as one needs electric current to create magnetic fields, and that costs a lot of energy and creates annoying waste heat," explains Naëmi Leo, a former Ph.D. student in Fiebig's laboratory. In computers, for instance, where data is constantly written on magnetic hard drives, multiferroics could be key materials for significant energy savings.

Inspiration from Tangram shapes

At ETH, which has been an international leader in multiferroics research for quite some time, scientists took this idea one step further. "A material that allows one to control its magnetization using electric fields



must necessarily have a rather complex structure," says Fiebig.

He uses the Chinese Tangram puzzle to illustrate that principle: The more pieces available—triangles, squares and parallelograms—the more elaborate shapes are possible. In the case of multiferroics, the shapes correspond to the symmetries of the material, which determine its physical properties. The more complex those symmetries, the more varied are the so-called order parameters. They describe the direction in which the magnetization points inside a multiferroic, and how the magnetization is coupled to the electric order.



Distribution of regions with positive (bright) and negative (dark) magnetization in the rare-earth orthoferrite (Dy, Tb)FeO3. The reversal of magnetization in each region is obvious. The size of the sample is 0.5 mm. Credit: ETH Zurich

Unexpected properties



If the atoms inside a material are arranged in such a complicated way, it is also very likely that it has other properties that are not obvious at first sight. "That's why we didn't want to limit ourselves to the well-known phenomena that have been studied for a long time, but rather try to see what other useful things multiferroics can do," Fiebig says, and illustrates his research approach: "How can we recombine the pieces of the puzzle—that is, the order parameters—in different ways than those already known, and thus obtain new and useful properties?"

This openness towards the unexpected has paid off. Fiebig and his coworkers eventually found a multiferroic in which the overall magnetization is not just evenly oriented by an applied field, as usual. Clearly, that would erase any magnetically stored information—the distribution of positively and negatively magnetized regions inside the material. Rather, they used the field to invert the magnetization in each individual region of the material. Positively magnetized regions were, therefore, turned into negatively magnetized ones, and vice versa. The magnetic information contained in the arrangement of the regions, however, remained intact in the process. "That's as if we inverted every single bit on a hard disk in one go," Fiebig explains. "Normally, one would have to re-write each bit individually, but we can do it with a single magnetic field pulse."

Inversion in a single go

The researchers at ETH found this magnetic equivalent of active noise reduction in a multiferroic composed of cobalt, tellurium and oxygen. Owing to its complex crystal structure, not only can that material at once be magnetically and electrically polarized, but it can also have several order parameters describing its magnetization: one that determines the magnetic orientation of a single region, and another one that "remembers" the shape and arrangement of those regions inside the whole material.



Using a specialized imaging technique, whereby polarized laser light is sent through the crystal and changes its colour in the process, the researchers could directly make the inversion process spatially visible.

As if that was not enough, the physicists were also able to accomplish a similar feat with reversed roles. In a <u>multiferroic</u> containing atoms of manganese, germanium and oxygen, the <u>magnetic field</u> now inverted not the magnetization, but the electric polarization of the material. For the researchers, that is further proof that multiferroics still hold many surprises. "There is probably much more to be discovered that we can't even imagine today," Fiebig says.

More information: N. Leo et al. Magnetoelectric inversion of domain patterns, *Nature* (2018). DOI: 10.1038/s41586-018-0432-4

Provided by ETH Zurich

Citation: Perfect inversion of complex structures (2018, August 23) retrieved 6 May 2024 from https://phys.org/news/2018-08-inversion-complex.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.