


Using LIDAR to find unmarked graves of murder victims

August 2 2018, by Bob Yirka



Credit: CC0 Public Domain

A team of researchers affiliated with several institutions in the U.S. reports that LIDAR can be used to find the unmarked graves of murder victims. In their paper published in the journal *Forensic Science*

International, the group describes the technique and how well it worked.

Oftentimes, a murderer will seek to hide the body to avoid being caught and imprisoned. One well-known method of victim hiding is simply to bury the body in a remote location. This approach has proven effective in the long run, as nature will eventually hide evidence of digging—but not all of the evidence, it seems. The researchers in this new effort noted that when a body is buried, it takes up a certain amount of room beneath the ground. But as the body decays, it takes up less room, causing the dirt above to settle. This slight bit of settling can look like a depression on the surface of the ground to the observant eye—though less so when covered by debris such as scattered leaves.

The researchers noted that LIDAR has proven to be quite effective at mapping terrain—one example was its use in uncovering hidden Mayan ruins in the Amazon. LIDAR is an acronym of the words "[light](#)" and "radar." It is used in the same way as radar—light beams, in the form of laser blasts, are fired at the ground, and a sensor reads how much light is bounced back. Improvements over time have led to LIDAR systems that can detect changes in ground texture to the centimeter.

Because of its accuracy, the researchers wondered whether LIDAR could be used to find unmarked graves. They obtained several corpses that had been donated to science and buried them in several unmarked graves. Some of the graves held just one [body](#), others held more, and of course, one held none to serve as a control. The researchers then flew over the graves in a helicopter periodically for almost two years and monitored the ground using LIDAR. They report that they were able to make out the outlines of all of the graves—even those that were covered by leaves and other debris.

More information: K.A. Corcoran et al. A novel application of terrestrial LIDAR to characterize elevation change at human grave

surfaces in support of narrowing down possible unmarked grave locations, *Forensic Science International* (2018). [DOI: 10.1016/j.forsciint.2018.05.038](https://doi.org/10.1016/j.forsciint.2018.05.038)

Abstract

Unmarked graves are difficult to locate once the ground surface no longer shows visible evidence of disturbance, posing significant challenges to missing person investigations. This research evaluates the use of terrestrial LIDAR point data for measuring localized elevation change at human grave surfaces. Three differently sized human graves, one control-pit, and surrounding undisturbed ground, were scanned four times between February 2013 and November 2014 using a tripod-mounted terrestrial laser scanner. All the disturbed surfaces exhibited measurable and localized elevation change, allowing for separation of disturbed and undisturbed ground. This study is the first to quantify elevation changes to human graves over time and demonstrates that terrestrial LIDAR may contribute to multi-modal data collection approach to improve unmarked grave detection.

© 2018 Tech Xplore

Citation: Using LIDAR to find unmarked graves of murder victims (2018, August 2) retrieved 20 April 2024 from <https://phys.org/news/2018-08-lidar-unmarked-graves-victims.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--