

# NASA launching advanced laser to measure Earth's changing ice

August 23 2018

---



NASA's Ice, Cloud and land Elevation Satellite-2 (ICESat-2) spacecraft arrives at the Astrotech Space Operations facility at Vandenberg Air Force Base in California ahead of its scheduled launch on Sept. 15, 2018. Credit: U.S. Air Force/Vanessa Valentine

Next month, NASA will launch into space the most advanced laser

instrument of its kind, beginning a mission to measure – in unprecedented detail – changes in the heights of Earth's polar ice.

NASA's Ice, Cloud and land Elevation Satellite-2 (ICESat-2) will measure the average annual elevation change of land ice covering Greenland and Antarctica to within the width of a pencil, capturing 60,000 measurements every second.

"The new observational technologies of ICESat-2 – a top recommendation of the scientific community in NASA's first Earth science decadal survey – will advance our knowledge of how the ice sheets of Greenland and Antarctica contribute to [sea level rise](#)," said Michael Freilich, director of the Earth Science Division in NASA's Science Mission Directorate.

ICESat-2 will extend and improve upon NASA's 15-year record of monitoring the change in polar ice heights, which started in 2003 with the first ICESat mission and continued in 2009 with NASA's Operation IceBridge, an airborne research campaign that kept track of the accelerating rate of change.

## **A Technological Leap**

ICESat-2 represents a major technological leap in our ability to measure changes in ice height. Its Advanced Topographic Laser Altimeter System (ATLAS) measures height by timing how long it takes individual light photons to travel from the spacecraft to Earth and back.





# ICESat-2

## ICE, CLOUD, AND LAND ELEVATION SATELLITE-2

Retreating glaciers. Shrinking sea ice. Melting ice sheets. The frozen reaches of Earth are changing at dramatic rates — and the impacts, from sea level rise to altered weather patterns, span the planet. NASA is launching the Ice, Cloud and land Elevation Satellite-2 (ICESat-2) to measure changes to Earth's ice seasonally and annually. With its fast-firing laser and incredibly precise detector, ICESat-2 will create the most detailed portrait yet of heights across the globe including forests, oceans and clouds.

### ANATOMY OF A SPACE LASER

ICESat-2 carries a single instrument, the **Advanced Topographic Laser Altimeter System (ATLAS)**. ATLAS has three major tasks: send pulses of laser light to the ground, collect the returning photons in a telescope, and record the photon travel time. With the speed of light as a constant, the travel time can be converted to distance traveled. And with precise knowledge of the location of the satellite that comes from the GPS and star trackers, the distance traveled is converted to height.

**Laser**  
Pulses 10,000 times a second, at a wavelength of 532 nanometers — a bright green on the visible spectrum.

**Diffractive Optical Element**  
Splits the single laser beam into six before exiting ATLAS.

**Telescope**  
Lightweight beryllium telescope receives about a dozen photons from each laser pulse as they return from Earth, and routes these photons to the detector.

**Laser Reference System**  
Checks the aim of the laser to ensure the telescope is looking where the laser beams are pointing.

**Star Trackers**  
Cameras that point to the stars; by comparing the image from the star tracker with a star map, we determine where ATLAS is pointing.


The high frequency laser allows for almost continuous coverage, measuring height every ~2.3 feet (70 cm) along the satellite's ground path.

The six beams are arranged in three pairs, designed to allow us to measure the slope of the terrain in one pass.

The detector times photons to within a billionth of a second. By combining photon data, ICESat-2 measures height to ~1 inch (3 cm).

Aligning the laser with the telescope ensures ATLAS will detect returning photons.

Combining photon travel time with star tracker and GPS data allow us to precisely measure the height of the Earth's surface.




Sea ice thickness is estimated by measuring the **freeboard** — the difference between the top of ice and the ocean. Roughly 1/10th of the sea ice is above the ocean surface.

**Sea Ice** forms when ocean water freezes. In the polar oceans, it forms a white and reflective cap that helps regulate Earth's temperature. The ICESat-2 mission will calculate the freeboard of sea ice to within 1.2 inches (3 cm), from which sea ice thickness is calculated.

**Land Ice** including glaciers and ice sheets, form as snowfall accumulates over centuries and millenia. Land ice melting into the ocean causes global sea level rise. ICESat-2 will measure the annual rise or fall of ice sheets to within a fraction of an inch.

ICESat-2 will fly each of its 1,387 unique orbits once every 91 days, to monitor ice surfaces once a season.



NASA's Ice, Cloud and land Elevation Satellite-2 (ICESat-2) will measure height

with a laser instrument that features components designed to provide precise data. Credit: NASA/Adriana Manrique Gutierrez

"ATLAS required us to develop new technologies to get the measurements needed by scientists to advance the research," said Doug McLennan, ICESat-2 project manager at NASA's Goddard Space Flight Center. "That meant we had to engineer a satellite instrument that not only will collect incredibly precise data, but also will collect more than 250 times as many height measurements as its predecessor."

ATLAS will fire 10,000 times each second, sending hundreds of trillions of photons to the ground in six beams of green light. The roundtrip of individual laser photons from ICESat-2 to Earth's surface and back is timed to the billionth of a second to precisely measure elevation.

With so many photons returning from multiple beams, ICESat-2 will get a much more detailed view of the ice surface than its predecessor, ICESat. In fact, if the two satellites were flown over a football field, ICESat would take only two measurements – one in each end zone – whereas ICESat-2 would collect 130 measurements between each end zone.

As it circles Earth from pole to pole, ICESat-2 will measure ice heights along the same path in the polar regions four times a year, providing seasonal and annual monitoring of ice elevation changes.

## **Tracking Ice Melt**

Hundreds of billions of tons of land ice melt or flow into the oceans annually, contributing to sea level rise worldwide. In recent years, contributions of melt from the ice sheets of Greenland and Antarctica

alone have raised [global sea level](#) by more than a millimeter a year, accounting for approximately one-third of observed sea level rise, and the rate is increasing.

ICESat-2 data documenting the ongoing height change of ice sheets will help researchers narrow the range of uncertainty in forecasts of future sea level rise and connect those changes to climate drivers.

ICESat-2 also will make the most precise polar-wide measurements to date of sea ice freeboard, which is the height of sea ice above the adjacent sea surface. This measurement is used to determine the thickness and volume of sea ice. Satellites routinely measure the area covered by sea ice and have observed an Arctic sea ice area decline of about 40 percent since 1980, but precise, region-wide [sea ice thickness](#) measurements will improve our understanding of the drivers of sea ice retreat and loss.

Although floating sea ice doesn't change sea level when it melts, its loss has different consequences. The bright Arctic ice cap reflects the Sun's heat back into space. When that ice melts away, the dark water below absorbs that heat. This alters wind and ocean circulation patterns, potentially affecting Earth's global weather and climate.

Beyond the poles, ICESat-2 will measure the height of ocean and land surfaces, including forests. ATLAS is designed to measure both the tops of trees and the ground below, which – combined with existing datasets on forest extent – will help researchers estimate the amount of carbon stored in the world's forests. Researchers also will investigate the height data collected on ocean waves, reservoir levels, and urban areas.

Potential data users have been working with ICESat-2 scientists to connect the mission science to societal needs. For example, ICESat-2 measurements of snow and river heights could help local governments

plan for floods and droughts. Forest height maps, showing tree density and structure, could improve computer models that firefighters use to forecast wildfire behavior. Sea ice thickness measurements could be integrated into forecasts the U.S. Navy issues for navigation and sea ice conditions.

"Because ICESat-2 will provide measurements of unprecedented precision with global coverage, it will yield not only new insight into the polar regions, but also unanticipated findings across the globe," said Thorsten Markus, an ICESat-2 project scientist at Goddard. "The capacity and opportunity for true exploration is immense."

ICESat-2 is scheduled to launch Sept. 15 from Vandenberg Air Force Base in California.

**More information:** For more information about the mission, see [nasa.gov/icesat-2](https://nasa.gov/icesat-2)

Provided by NASA

Citation: NASA launching advanced laser to measure Earth's changing ice (2018, August 23) retrieved 28 April 2024 from <https://phys.org/news/2018-08-nasa-advanced-laser-earth-ice.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--