

# Precise records of baby stars' growth caught at millimeter wavelengths

August 22 2018

---



Credit: CC0 Public Domain

Babies grow up fast, in the blink of an eye, and thus their parents wish to record their growth without missing any moment. This is true not only for human babies but also for baby stars, called protostars, although the recorders are not parents but astronomers. Protostar ages, or evolutionary stages, have been determined from observations at near- and mid-infrared wavelengths. The youngest stage, called Class 0, is

defined by non-detection at these wavelengths, corresponding to

Human fetuses in the womb grow at a fast rate—just as the star babies do. Using ultrasound scanning techniques, parents can hear the baby's heart beat, and detect the rate of bone and skull growth, and get hints about the gender. All of these are important indicators of much progress babies are making in terms of their growth.

Similarly, in order to record the important evolutionary stages of [baby stars](#), rather than ultrasound scanners, astronomers use millimeter/submillimeter telescopes. To probe the fast growth of Class 0 protostars, an international team led by Dr. Yusuke Aso of Academia Sinica Institute of Astronomy and Astrophysics (ASIAA, Taiwan) has observed three Class 0 protostars using the Atacama Large Millimeter/submillimeter Array (ALMA) and has differentiated evolutionary stages of those protostars in multiple aspects. Thanks to ALMA's capabilities, the team revealed four evolutionary indicators in detail:

1. dusty disk growth on 100 astronomical unit scales
2. widening of outflow opening angles
3. carbon-monoxide (CO) desorption from icy grains due to temperature rising, and
4. weakening of accretion shock, all of which are consistent with theoretical predictions for young protostars.

Their work demonstrates the importance of millimeter wavelength observations on probing young protostars' evolution. The work was also accomplished by ALMA's high spatial resolution differentiating morphology on the small scale and its high sensitivity detecting the faint molecular line from the cold regions.

The lead author, Dr. Aso, says, "From now on, the precious moments of

young baby stars' fast [growth](#) will be recorded more precisely on millimeter wavelength."

**More information:** The Distinct Evolutionary Nature of Two Class 0 Protostars in Serpens Main SMM4, *Astrophysical Journal*.

[iopscience.iop.org/article/10. ... 847/1538-4357/aacf9b](https://iopscience.iop.org/article/10.1086/1538-4357/aacf9b)

preprint: [arxiv.org/abs/1806.10743](https://arxiv.org/abs/1806.10743)

Provided by Institute of Astrophysics and Astronomy, Academia Sinica

Citation: Precise records of baby stars' growth caught at millimeter wavelengths (2018, August 22) retrieved 16 June 2024 from <https://phys.org/news/2018-08-precise-baby-stars-growth-caught.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--