


Scientists advance technique for developing novel light beams from synchrotron radiation

August 28 2018



Credit: CC0 Public Domain

Structured light, created by generating and applying light to a surface, is important in such applications as 3-D scanners, dual photography and microscopic technology. A new study has demonstrated a method that

produces novel light beams from synchrotron light sources, opening up a new way to generate X-ray beams.

A team of Japanese scientists led by Shunya Matsuba, an assistant professor at the Hiroshima Synchrotron Radiation Center at Hiroshima University, has shown that structured light, in the form of a vector beam (light beams whose polarization direction rotates around its axis), can be produced from the superposition of two optical vortex beams (beams of lights that contain a point of zero intensity, forming a spiral phase structure.) The findings were published in the journal of *Applied Physics Letters* in July 2018.

"We have demonstrated the generation of the vector beam using [synchrotron radiation](#). This work has opened a way to generate X-ray vector beams," says co-author Prof. Masahiro Katoh of the Institute for Molecular Science (IMS) at the National Institutes of Natural Sciences/Sokendai in Japan.

The production of structured light in the X-ray wavelengths has been challenging, however, and the new technique presented by the Japanese scientists can potentially allow for the use of such structured light in research areas accessible only with [synchrotron](#) radiation, such as X-ray absorption spectroscopy and X-ray crystallography.

The scientists based their method on a technique that produces circularly polarized light from two linearly polarized beams whose polarization directions are orthogonal to each other. In [synchrotron light sources](#), this method has been applied to uniformly polarized beams coming from two undulators. An undulator is a device that emits quasi-monochromatic light with various polarizations.

Matsuba and his team applied this method for two vortex beams coming from two helical undulators positioned in tandem. The research follows

previous studies that have used lasers and optical components to create vector beams, with wavelengths usually within the visible or near-infrared portions of the electromagnetic spectrum.

Katoh says, "The next step of this research is to demonstrate the generation of vector beams of other types, for example, radially polarized beams. Our ultimate goal is to control all the optical properties of synchrotron radiation, such as wavelength, coherence, spatial, temporal structures and so on." This will pave the way for new opportunities in many fields, including X-ray diffraction, scattering and absorption/emission spectroscopy due to the new method of generating structured light that has been demonstrated in this study.

Provided by National Institutes of Natural Sciences

Citation: Scientists advance technique for developing novel light beams from synchrotron radiation (2018, August 28) retrieved 25 April 2024 from <https://phys.org/news/2018-08-scientists-advance-technique-synchrotron.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.