

## Study tests whether seaweed in cattle feed reduces emissions

August 31 2018, by Terence Chea

---



In this June 8, 2018 image taken from video, cows are milked at a dairy farm at the University of California, Davis, in Davis, Calif., where researchers are feeding seaweed to dairy cows in a bid to make cattle more climate-friendly. UC Davis is studying whether adding small amounts of seaweed to cattle feed can help reduce their emissions of methane, a potent greenhouse gas that's released when cattle burp, pass gas or make manure. (AP Photo/Terry Chea)

University of California researchers are feeding seaweed to dairy cows in an attempt to make cattle more climate-friendly.

UC Davis is studying whether adding small amounts of seaweed to cattle feed can help reduce their emissions of methane, a potent greenhouse gas that's released when cattle burp, pass gas or make manure.

In a study this past spring, researchers found methane emissions were reduced by more than 30 percent in a dozen Holstein cows that ate the ocean algae, which was mixed into their feed and sweetened with molasses to disguise the salty taste.

"I was extremely surprised when I saw the results," said Ermias Kebreab, the UC Davis animal scientist who led the study. "I wasn't expecting it to be that dramatic with a small amount of seaweed."

Kebreab says his team plans to conduct a six-month study of a seaweed-infused diet in beef cattle starting in October.

More studies will be needed to determine its safety and efficacy, and seaweed growers would have to ramp up production to make it an economical option for farmers.

Dairy farms and other livestock operations are major sources of methane, a heat-trapping gas many times more potent than carbon dioxide.



In this June 8, 2018 image taken from video, dairy cows eat feed mixed with seaweed in a dairy farm at the University of California, Davis, in Davis, Calif. UC Davis is studying whether adding small amounts of seaweed to cattle feed can help reduce their emissions of methane, a potent greenhouse gas that's released when cattle burp, pass gas or make manure. Dairy farms and other livestock operations are major sources of methane. (AP Photo/Terry Chea)

Researchers worldwide have searched for ways to reduce cattle emissions with various food additives such as garlic, oregano, cinnamon and even curry—with mixed results.

If successful, adding seaweed to cattle feed could help California dairy farms comply with a state law requiring livestock operators to cut emissions by 40 percent from 2013 levels by 2030.

"If we can reduce methane on the dairy farm through manipulation of the diet, then it's a win for consumers because it reduces the carbon footprint, and it's for dairy farmers because it increases their feed efficiency," said Michael Hutjens, an animal scientist at the University

of Illinois, Urbana-Champaign.

© 2018 The Associated Press. All rights reserved.

Citation: Study tests whether seaweed in cattle feed reduces emissions (2018, August 31)  
retrieved 25 April 2024 from <https://phys.org/news/2018-08-seaweed-dairy-cows-emissions.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.