

World's fastest 3-D tomographic images reported at BESSY II

August 9 2018



Granules of aluminium (grey) become a metallic foam when heated. The tompgraphies document the evolution of pores with time. Credit: HZB

An HZB team has developed an ingenious precision rotary table at the EDDI beamline at BESSY II and combined it with particularly fast optics. This enabled them to document the formation of pores in grains of metal during foaming processes at 25 tomographic images per second—a world record.

The quality of materials often depends on the manufacturing process. In casting and welding, for example, the rate at which melts solidify and the resulting microstructure of the alloy is important. With metallic foams, it



also depends on exactly how the foaming process takes place. To understand these processes fully requires fast sensing capability. The fastest 3-D tomographic images to date have now been achieved at the BESSY II X-ray source operated by the Helmholtz-Zentrum Berlin.

Dr. Francisco Garcia-Moreno and his team have designed a turntable with ultra-stable rotation around its axis at a constant speed. High precision is vital, because any tumbling around the rotation axis or even minimal deviations in the rotation speed would prevent the reliable calculation of the 3-D tomography. While commercially available solutions costing several hundred thousand euros allow up to 20 tomographic images per second, the Berlin physicists were able to develop a significantly cheaper solution that is even faster.

"My two doctoral students at the Technische Universität Berlin produced the specimen holders themselves on the lathe," says Garcia-Moreno, who enjoys working out solutions to tricky technical problems and possesses a lot of craftsmanship himself. Additional components were produced in the HZB workshop. In addition, Garcia-Moreno and his colleague Dr. Catalina Jimenez had already developed specialized optics for the fast CMOS camera during the preliminary stages of this work, which allowed for simultaneous diffraction. This makes it possible to record approximately 2000 projections per second, from which a total of 25 three-dimensional tomographic images can be created.

As a first example, the team investigated granules of aluminium alloys that become a metallic foam when heated. To do this, they mounted a powerful infrared lamp above the metal granulate to heat the sample to about 650 degrees Celsius. A complete 3-D tomographic image with spatial resolution of 2.5 micrometers (pixel size) was generated every 40 milliseconds. The nearly 400 tomographic 3-D images now allow detailed, time-resolved analysis of the process as it occurred.



"We wanted to develop a better understanding of how pores form in the grains—whether they also reach the granule surfaces and to what extent this process varies in different granules," explains Garcia-Moreno. It is a question of practical relevance that is also of interest to industry. This is because granules of metallic compounds might fill complicated shapes better while foaming than foams manufactured from a block of metal. However, the moulded part will only be able to withstand stress if the grains also bond closely with one another during foaming. With the ultrafast 3-D tomography developed at BESSY II, this can now be observed very precisely, as can a multitude of other dynamic processes.

Since the EDDI beamline must be dismantled for the upgrade from BESSY II to BESSY-VSR, Garcia-Moreno has contacted other X-ray sources and plans to establish this method at those locations.

More information: Francisco García-Moreno et al, Time-resolved in situ tomography for the analysis of evolving metal-foam granulates, *Journal of Synchrotron Radiation* (2018). DOI: 10.1107/S1600577518008949

Provided by Helmholtz Association of German Research Centres

Citation: World's fastest 3-D tomographic images reported at BESSY II (2018, August 9) retrieved 26 June 2024 from <u>https://phys.org/news/2018-08-world-fastest-d-tomographic-images.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.