


Astronomers use Earth's natural history as guide to spot vegetation on new worlds

September 24 2018, by Blaine Friedlander



Earth's natural history may now serve as a guide for astronomers to spot exoplanets. About 500 million years ago, this planet had a different light signature due to the dominance of moss. About 300 million years ago, ferns were dominate and mature plant forms rules today - changing the planet's light signature. Credit: Jack O'Malley-James/Wendy Kenigsberg/Brand Communications

By looking at Earth's full natural history and evolution, astronomers may



have found a template for vegetation fingerprints—borrowing from epochs of changing flora—to determine the age of habitable exoplanets.

"Our models show that Earth's vegetation reflectance signature increases with coverage of our planet's surface, but also with the age of our planet," said co-author Jack O'Malley-James, research associate in astronomy at Cornell University's Carl Sagan Institute. The research, "The Vegetation Red Edge Biosignature Through Time on Earth and Exoplanets," published online in *Astrobiology*.

The geological record of the last 500 million years shows that Earth's surface has changed dramatically, from being ice-covered to having huge forests spread out over land. For most of our home planet's early history, land plants did not exist, but plants eventually became widespread on Earth's surface. The first plants, mosses, show only a weak vegetation signature that is difficult for astronomers to find remotely, compared to modern trees.

"We use Earth's history as a key for finding life in the universe," said coauthor Lisa Kaltenegger, associate professor of astronomy at Cornell University and director of the Carl Sagan Institute. "Our work shows that as plants evolved on Earth, the vegetation signal that reveals their presence became stronger, making older exoplanets really interesting places to look for vegetation."

Exoplanets may be parched, arid with clear skies and endless cacti forests, or hot jungle worlds covered in tropical forests. "Over interstellar distances, these places might be the best targets to spot vegetation," Kaltenegger said.

When NASA's Galileo mission left Earth for Jupiter in 1989, the late Cornell astronomer Carl Sagan requested the spacecraft's instruments look at Earth to see how light reflected from an inhabited, life-rich



planet. Observations in December 1990 revealed a distinctive boost in reflectance between the red and infrared spectrum, just beyond the limits of human vision, due to vegetation.

"The signal Galileo detected for Earth was similar to what observations of an exoplanet in another star system might look like, but, of course, Galileo was much closer to us," said O'Malley-James.

"Observing an <u>exoplanet</u> is more challenging, but telescope technology is getting better at spotting tiny signals," said O'Malley-James. "And factoring Earth's changing landscapes into our models will make it easier to detect vegetation in the future on other worlds."

Said Kaltenegger: "Looking at how life altered Earth's biosignatures over time helps us to figure out which planets are most likely to show the strongest signs of life, ultimately giving us the best chances of successfully pinpointing life, if it is there."

More information: Jack T. O'Malley-James et al, The Vegetation Red Edge Biosignature Through Time on Earth and Exoplanets, *Astrobiology* (2018). DOI: 10.1089/ast.2017.1798

Provided by Cornell University

Citation: Astronomers use Earth's natural history as guide to spot vegetation on new worlds (2018, September 24) retrieved 30 April 2024 from <u>https://phys.org/news/2018-09-astronomers-</u> <u>earth-natural-history-vegetation.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.