


Breakthrough in blending metals—precise control of multimetallic one-nanometer cluster formation achieved

September 24 2018



Five metal elements are blended here in a small cluster on a one-nanometer scale. Credit: Takamasa Tsukamoto

Researchers in Japan have found a way to create innovative materials by blending metals with precision control. Their approach, based on a concept called atom hybridization, opens up an unexplored area of chemistry that could lead to the development of advanced functional materials.

Multimetallic clusters—typically composed of three or more

metals—are garnering attention as they exhibit properties that cannot be attained by single-[metal](#) materials. If a variety of metal elements are freely blended, it is expected that as-yet-unknown substances are discovered and highly-functional materials are developed. So far, no one had reported the multimetallic clusters blended with more than four metal elements so far because of unfavorable separation of different metals. One idea to overcome this difficulty is miniaturization of [cluster](#) sizes to one-nanometer scale, which forces the different metals to be blended in a small space. However, there was no way to realize this idea.

A team, including Takamasa Tsukamoto, Takane Imaoka, Kimihisa Yamamoto and colleagues, has developed an atom hybridization method, which has realized the first-ever synthesis of multimetallic clusters consisting of more than five metal elements with precise control of size and composition. This method employs a dendrimer template that serves as a tiny "scaffold" to enable controlled accumulation of metal salts. After precise uptake of the different metals into the dendrimer, multimetallic clusters are obtained by chemical reduction. In contrast, a conventional method without the dendrimer yields enlargement of cluster sizes and separation of different metals. The team successfully demonstrated the formation of five-element clusters composed of gallium (Ga), indium (In), gold (Au), bismuth (Bi) and tin (Sn), as well as iron (Fe), palladium (Pd), rhodium (Rh), antimony (Sb) and copper (Cu), and a six-element cluster consisting of Ga, In, Au, Bi, Sn and platinum (Pt). Additionally, they hint at the possibility of making clusters composed of eight metals or more.



Large clusters (of over 10-nanometers) are obtained, and different metals are separated from each other. Credit: Takamasa Tsukamoto

This atom hybridization method using the dendrimer template can synthesize ultrasmall multimetallic clusters with precise control of size and composition. There are more than 90 metals in the periodic table. With infinite combinations of metal elements, atomicity and composition, this method will open up a new field in chemistry on a one-nanometer scale. The current study marks a major step forward in creating such as-yet-unknown [innovative materials](#).

More information: Takamasa Tsukamoto et al, Atom-hybridization for synthesis of polymetallic clusters, *Nature Communications* (2018). [DOI: 10.1038/s41467-018-06422-8](https://doi.org/10.1038/s41467-018-06422-8)

Provided by Tokyo Institute of Technology

Citation: Breakthrough in blending metals—precise control of multimetallic one-nanometer cluster formation achieved (2018, September 24) retrieved 9 April 2024 from <https://phys.org/news/2018-09-breakthrough-blending-metalsprecise-multimetallic-one-nanometer.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.