

# Catastrophic construction: Storms can build reef islands in atoll regions

September 17 2018

---



Tuvalu's Funafuti atoll. Credit: NASA.

Tropical storms, with waves reaching up to 10-meters-high, can wallop coral reef islands. As global temperatures increase, some scientists suggest that such storms will become more frequent and intense over the

next few decades. Additionally, potential sea level rise is perceived as a threat to the continued existence of these remote, low-lying communities.

Many coral reef islands, or atolls, are created by water moving sand and gravel, piling it up into consecutive ridged layers, "a bit like onions," says Paul Kench, earth scientist and dean of science at Simon Fraser University, Burnaby, Canada. However, new research by Kench and colleagues recently published online ahead of print for *Geology* uncovered a different type of island construction: storm-deposited boulders.

On Tutago island in Tuvalu's Funafuti atoll, giant coral blocks sit on top of a flat reef. Researchers noted the jumble of upended corals didn't grow there, but instead were tumbled onto the site. As storm waves hit the reefs, it's not just fist or head-sized gravel chunks that are moving—Kench says coral boulders, which can be meters in diameter, are getting plucked and hurled into piles, forming the island.

To better understand how storms shaped Tutago, the team collected radiocarbon dates on the piled coral blocks. Within these boulder deposits, they uncovered distinct clusters of ages, revealing that Tutago island formed about 750 years ago, and at least two major storm events occurred about 600 and 350 years ago.

Kench says the 300-year hiatus between these storm events may have given nearby reefs a chance to recover after being plucked by the storm. "For coral to grow to two meters diameter, it may take it a hundred and fifty years," he says. "Island genesis is not only dependent on the storm, it's also dependent on the rate of coral production."

Understanding how Tutago formed can be helpful to other researchers interested in atoll behavior, coral [reef](#) regeneration, and ancient [storm](#)

[events](#). "I think there's certainly purchase in this notion that the islands are archives of storm sequences," says Kench, adding that storm records in the remote ocean can be tough to find.

Storm events have built Tutago up vertically, but that isn't always the case for [islands](#). Kench says that understanding how an increase in [storm](#) frequency and intensity might modify atolls—especially whether they add or destroy land—is extremely important to island communities and governments. "It's quite real for some of these communities," he says. "They're dealing with environmental change on a daily basis."

**More information:** P.S. Kench et al, Storm-deposited coral blocks: A mechanism of island genesis, Tutaga island, Funafuti atoll, Tuvalu, *Geology* (2018). [DOI: 10.1130/G45045.1](https://doi.org/10.1130/G45045.1)

Provided by Geological Society of America

Citation: Catastrophic construction: Storms can build reef islands in atoll regions (2018, September 17) retrieved 8 May 2024 from <https://phys.org/news/2018-09-catastrophic-storms-reef-islands-atoll.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.