

Chemists produce and test novel solid oxide electrolysis cell

September 20 2018



Credit: CC0 Public Domain

Researchers of the Institute of Chemical Engineering of Ural Federal University and the Institute of High-temperature Electrochemistry (Ural Branch of the Russian Academy of Sciences) have developed new

electrochemical cells for the electrolysis of water in the presence of carbon dioxide. The findings were published in the *Journal of Materials Chemistry A*.

"A novel solid oxide [electrolysis](#) cell based on high-performance and CO₂-tolerant [materials](#), a proton-conducting electrolyte and an oxygen electrode was successfully fabricated and tested," says the article.

"Unusual characteristics leading to enhanced improvement were observed for this cell when the reducing atmosphere was enriched with CO₂."

The authors also proposed a possible mechanism by which this behavior may be explained. The results of the study show that the cells work better under "hard" conditions, with an increased concentration of CO₂.

If electrolysis occurs in the presence of [carbon dioxide](#), some of the electrons are used for the recovery of the substance. Then the result of the electrolysis is the so-called synthesis gas, a mixture of hydrogen and carbon monoxide. Synthesis gas is something like a semi-finished fuel. It can, for example, be further converted into liquid hydrocarbons.

Obtaining [synthesis gas](#) by water electrolysis is a promising process that makes it possible to get rid of carbon dioxide and produce fuel.

Scientists are now developing similar cells that could work from solar energy, making the process twice as environmentally friendly.

The purpose of the study conducted by the chemists of UrFU and UB RAS was to choose the best solid electrolyte for cells. This material should provide good proton conductivity and be stable in an atmosphere of CO₂ at a temperature of 700 °C. As a result of the study, the authors obtained a material with higher conductivity provided by the fact that less protons were "stuck" at the boundaries of the grains (individual crystals in the polycrystalline material), thereby making the final cells work better. Stability was also high: In 10 hours of operation, the cells

lost as little as 0.7 percent of efficiency. However, for industrial use, this parameter has yet to be improved.

Moreover, the [cells](#) demonstrated even better performance under the "harder" conditions, when the atmosphere was further enriched with [carbon](#) dioxide. The excess of CO₂ inhibited some unwanted processes, which resulted in optimum resistance and current density, that is, better cell efficiency.

More information: Nikolay Danilov et al, CO₂-promoted hydrogen production in a protonic ceramic electrolysis cell, *Journal of Materials Chemistry A* (2018). [DOI: 10.1039/C8TA05820B](https://doi.org/10.1039/C8TA05820B)

Provided by Ural Federal University

Citation: Chemists produce and test novel solid oxide electrolysis cell (2018, September 20) retrieved 21 May 2024 from <https://phys.org/news/2018-09-chemists-solid-oxide-electrolysis-cell.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.