

# **Drought affected about 90% of German territory in 2018**

September 18 2018



Dried out: Bed of the river Elbe in Magdeburg on July 08, 2018. Credit: Marco Kaschuba

The four-month period from April to July 2018 was the warmest in Germany since the beginning of weather recording. Many places reached



new all-time as well as monthly records. In addition, the situation was aggravated by a drought since February. In August, about 90 percent of the German territory suffered under drought. Heat and drought led to severe forest fires in several regions of Europe and to crop failures in Germany. This is reported by the Center for Disaster Management and Risk Reduction Technology (CEDIM) of Karlsruhe Institute of Technology (KIT).

Dried out rivers, withered fields, <u>forest fires</u> and wildfires, damaged roads, deformed rails: The impacts of this year's heat wave in Germany were and still are impossible to ignore. CEDIM's interdisciplinary Forensic Disaster Analysis (FDA) Group analyzed how temperature and precipitation developed in Germany and Europe until mid-August 2018, how <u>drought</u> and heat can be explained meteorologically and placed in a historical context, and which impacts they have on man and nature. The findings are summarized in the recently issued report "Dürre & Hitzewelle Sommer 2018 (Deutschland)" (drought & heat wave summer 2018 (Germany)) (in German only).

#### **No New Heat Record – Warmest Four-Month Period**

"The four-month period from April to July 2018 is the warmest in Germany since the beginning of regular weather recording in 1881," says Professor Michael Kunz, Scientific Spokesperson of CEDIM and head of the corresponding working group at the Institute of Meteorology and Climate Research (IMK-TRO). In all four months, mean temperature in all federal states was at least 1.7 Kelvin (corresponding to a temperature difference of 1.7°C) above the long-time reference value from 1981 to 2010. Overall, the temperature exceeded the standard value by 2.8 Kelvin. In the record summer of 2003, by contrast, the same four-month period was 1.2 Kelvin colder on the average than in 2018. When including the month of August of 2018, the mean temperature of which is not yet available, but will be below that of 2003, the temperature



difference is reduced somewhat in favor of 2003. The German heat record of 40.3°C was not exceeded in 2018. On July 31, however, the city of Bernburg an der Saale in Saxony-Anhalt with its all-time record of 39.5°C was quite close to this record. Many other places in Germany reached all-time or monthly records in 2018.

#### **Extreme Drought since February 2018**

As regards precipitation, the months from February to July 2018 were extremely dry after a rather wet January. "Altogether, the Germany-wide average precipitation in this six months' period reached 61 percent of the usual amount of rain only," says Professor Michael Kunz. With 80.5 percent of the standard value, the precipitation level in the state of Saarland was quite good. With 52 percent, the state of Saxony-Anhalt reached the lowest value. Historic comparison, however, reveals that the six months' period from February to July in 1922 and 1976 produced even lower Germany-wide averages than in 2018.

The dryness prevailing from February 2018 increased with increasing temperatures and led to a drought of large dimension in August. The CEDIM report classifies agrarian drought based on soil moisture distribution from 1951 to 2015. This classification was developed by the Helmholtz Centre for Environmental Research – UFZ in Leipzig that calculates current soil moisture in its "Dürremonitor Deutschland" (German drought monitor). Drought class 4 – "exceptional drought," the driest class – means that soil moisture was below the actual value in 2 percent of the long-year simulation values and, statistically speaking, every 33 years only. In case of drought class 3, soil moisture was below the actual value in 5 percent of the cases. Drought class 2 means that moisture was below the actual value in 10 percent of the cases and for drought class 1 in 20 percent of the cases. "On August 14, 2018, 89 percent of the German territory were under drought. Hence, its extension was much larger than in 2003, in which a maximum of 74 percent of the



territory suffered from drought," Dr. Andreas Marx, Head of the UFZ Climate Office for Central Germany, says. In spite of the altogether very low amounts of precipitation, 2018 also had days of heavy thunderstorms with large rainfall volumes at many places. This locally caused severe damage.

### Heat and Drought in Europe

Also other regions of Europe suffered from the extreme drought and heat. In Southwest Spain and South Portugal, the highest daily temperatures often exceeded 45°C. Unusually high temperatures and drought also were recorded temporarily in the South and Southeast of England. Sometimes, warm air flows even reached the North of Scandinavia.

In the latest report of CEDIM, the heat and drought of 2018 are explained by a large-area flow pattern that prevailed above Europe for months and was associated with constant high pressure above the North of the continent. In spite of some variations in spring and summer, this flow pattern constantly regenerated itself. In case of such a dominating general weather situation, Atlantic low-pressure zones with cool and cloudy air and precipitation hardly reach central Europe.

## Forest Fires and Disturbances of Road, Air, and Ship Traffic

The impacts of the heat and drought were and are still of dramatic character: In many regions of Europe, in particular in Greece, Portugal and Spain as well as in Sweden, devastating forest fires occurred. "In Germany, the biggest impacts are seen in the agricultural sector and mainly the North and East of Germany are affected," says Susanne Kubisch, doctoral researcher of CEDIM and KIT's Institute of Regional



Science (IfR). In August, the German Farmers' Federation prognosticated a grain harvest of 36 million tons, which would be even lower than in 2003. The average harvest of the past five years is 47.9 million tons. Also forestry and fish farming suffer from negative impacts. Only, the winegrowing sector profits from the impacts of heat. Wine harvest will take place much earlier than expected.

In road traffic, the heat damaged the roads and resulted in road closures and speed reductions. Train traffic was disturbed by deformed rails and embankment fires. In air traffic, planes were canceled or delayed. Due to the low water level, ship traffic on the rivers was restricted. This affected not only industry and transport, but also tourism. "Recreation areas with rivers and lakes had to cope with the consequences of water shortage, while tourist destinations on the Baltic Sea and North Sea recorded increasing numbers of tourists," Christina Wisotzky, doctoral researcher of CEDIM and KIT's Institute for Economic Policy Research (ECON), says.

In agriculture and tourism, the <u>heat</u> wave had different regional impacts. Some branches in both sectors even profited. Altogether, however, the costs resulting from the impacts of the <u>heat wave</u> as a result of climate change outweigh the benefits.

Provided by Karlsruhe Institute of Technology

Citation: Drought affected about 90% of German territory in 2018 (2018, September 18) retrieved 11 May 2024 from <u>https://phys.org/news/2018-09-drought-affected-german-territory.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.