

# Not too wet, not too dry—plasma-treated fuel cell gets it just right

September 7 2018

---



Study author Benjamin Zahiri, a materials scientist Credit: Benjamin Zahiri

Fuel cells hold promise as a clean, renewable source of energy. But keeping them dry has long been a challenge, as they produce water during the process of converting hydrogen and oxygen into electricity.

Now University of British Columbia researchers say they may have found a solution: pre-treating the electrode—a key component of fuel cells—with ionized oxygen gas, or plasma.

"Fuel cells need a small amount of moisture to work, but too much [water](#) blocks the flow of gases through the cell," said the study's first author Benjamin Zahiri, a materials scientist. "Plasma treatment modifies the surface of the electrode so that excess water can sink down into the bottom layers and drain away, without drying out the cell."

Researchers exposed the surface of a [fuel-cell](#) electrode, which contains porous layers of carbon, to ionized oxygen gas for one minute. The treatment deposited varying amounts of oxygen-carrying molecules, which attract water, on the surface.

"The upper layers received the most molecules and the next layers received progressively fewer molecules," said Zahiri. "By creating this gradually decreasing 'wettability', the water is drawn down from the upper layers through to the bottom layers, from where it exits the cell."

"The structure of the carbon [layer](#) itself remains unchanged."

The study focused on proton-exchange membrane (PEM) fuel cells, a type of fuel [cells](#) commonly used for cars and trucks.

"Our results show that plasma treatment is effective in facilitating water transport in a PEM fuel cell," said Zahiri. "Other water transport strategies like hydrophobic or water-repelling coatings are too costly or too complex to be viable."

Plasma treatment also can be easily integrated in the manufacturing of [fuel](#) cell components, according to the researchers.

"It's fast, low-cost and already widely used in manufacturing," said the study's senior author, Walter Mérida, a mechanical engineering professor who heads the Clean Energy Research Centre at UBC. "It generates no chemical waste, so it's environmentally friendly."

The team is currently exploring other applications of [plasma treatment](#). According to Mérida, [plasma](#) treatments can work on other porous materials used in energy storage. They can also be integrated into caustic soda-based industries, a market valued at US\$80 billion.

The research was described recently in *Applied Surface Science*.

**More information:** Beniamin Zahiri et al, Through-plane wettability tuning of fibrous carbon layers via O<sub>2</sub> plasma treatment for enhanced water management, *Applied Surface Science* (2018). [DOI: 10.1016/j.apsusc.2018.07.005](#)

Provided by University of British Columbia

Citation: Not too wet, not too dry—plasma-treated fuel cell gets it just right (2018, September 7) retrieved 3 May 2024 from <https://phys.org/news/2018-09-dryplasma-treated-fuel-cell.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--