

Endocrine disruptors found in bottlenose dolphins

September 5 2018



Bottlenose dolphins swim in Sarasota Bay. Credit: by Sarasota Dolphin Research Program under National Marine Fisheries Service Scientific Research Permit No. 20455.

Bottlenose dolphins are being exposed to chemical compounds added to

many common cleaning products, cosmetics, personal care products and plastics, according to a new study in *GeoHealth*, a journal of the American Geophysical Union.

The new research found evidence of [exposure](#) to these chemical compounds, called phthalates, in 71 percent of dolphins tested in Sarasota Bay, Florida during 2016 and 2017. Previous studies detected [phthalate](#) metabolites in the blubber or skin of a few individual marine mammals, but the new study is the first to document the additives in the urine of wild marine mammals.

Some phthalates have been linked to hormonal, metabolic and reproductive problems in humans, including low sperm count and abnormal development of reproductive organs. The study's authors do not know what health impacts phthalate compounds may have on dolphins, but the presence of byproducts of the chemicals in the animals' urine indicates they have remained in the body long enough to process them.

"We focused on urine in dolphins because, in previous studies of humans, that has been the most reliable matrix to indicate short-term exposure." said Leslie Hart, a public health professor at the College of Charleston and the lead author of the new study.

Studies have linked human exposure to phthalates with use of products containing these additives, such as [personal care products](#) and cosmetics, but Hart said the source of dolphin exposure to phthalates is not yet known. Elevated concentrations in dolphin urine of a specific phthalate compound most commonly added to plastics hinted at plastic waste as a possible source of exposure for the dolphins, she said.

"These chemicals can enter marine waters from urban runoff and agricultural or industrial emissions, but we also know that there is a lot

of plastic pollution in the environment" said Hart.

Understanding exposure in dolphins gives scientists insight into the contaminants in local waters and what other animals, including humans, are being exposed to, according to the study's authors.

Gina Ylitalo, an analytical chemist at NOAA's Northwest Fisheries Science Center who was not involved in the study, said dolphins are good indicators of what is going on in coastal waters.

"Any animals in the near shore environment with similar prey are probably being exposed as well," she said. "The dolphins are great sentinels of the marine environment."

Ubiquitous contaminants

Phthalate compounds are added to a wide variety of products to confer flexibility, durability, and lubrication. Some phthalates interfere with body systems designed to receive messages from hormones such as estrogen and testosterone. This can disrupt natural responses to these hormone signals.

Tests for phthalate exposure look for metabolites of the compounds, the products of initial breakdown of the compounds by the liver.

"We are looking for metabolites. These are indicators that the dolphins have been exposed somewhere in their environment and that the body has started to process them," Hart said.

About 160 dolphins live in Sarasota Bay, a subtropical coastal lagoon tucked between barrier islands and the cities of Sarasota and Bradenton on the southwest coast of Florida. The Chicago Zoological Society's Sarasota Dolphin Research Program has tracked individual dolphins

since 1970, monitoring their health, behavior, and exposure to contaminants. The dolphins are residents of the area year-round, across multiple decades, with individuals living up to 67 years.

In 2016 and 2017, Hart and her colleagues tested the urine of 17 wild dolphins in and around Sarasota Bay for nine phthalates. They found phthalate metabolites in the urine of 71 percent of the dolphins tested.

Hart compared the dolphin data to human data from the CDC's National Health and Nutrition Examination Survey (NHANES), which includes information about behavior and diet as well as blood and urine samples from a large cross section of the U.S. population. She found concentrations of one type of phthalate metabolite, monoethyl phthalate (MEP), were much lower in dolphins than in the human population surveyed by NHANES, but concentrations of another type of phthalate metabolite, mono-(2-ethylhexyl) phthalate (MEHP), were equivalent or higher to the levels found in humans.

"If you look at the primary uses of the parent compounds, MEP's parent is commonly used in cosmetics and personal care products including shampoos and body wash, whereas MEHP is a metabolite of a compound commonly added to plastic," Hart said.

Indicator species

Understanding what dolphins are exposed to gives researchers and the public a better idea of what is in the environment.

The study is particularly valuable because of the long-term data available on the Sarasota dolphins' health and behavior, said Ylitalo. Bottlenose dolphins are good indicators of pollutant exposure in whales and [dolphins](#) that can't be easily sampled.

"We will not be getting [urine samples](#) from killer whales in my neck of the woods," Ylitalo said. "They don't know what the health effects are yet, but if any group can do it, it will be these type of folks who start teasing it out."

Documenting exposure was an important first step, Hart said. She wants to expand the sample size to continue investigating the extent and potential health impacts of exposure and start tracking down possible sources. Ultimately, she hopes this research could be used to help curtail the sources of contamination.

"We've introduced these chemicals, they are not natural toxins, and we have the ability to reverse it, to clean this up." Hart said.

More information: Leslie B. Hart et al, Urinary Phthalate Metabolites in Common Bottlenose Dolphins (*Tursiops truncatus*) from Sarasota Bay, FL, USA, *GeoHealth* (2018). [DOI: 10.1029/2018GH000146](https://doi.org/10.1029/2018GH000146)

Provided by American Geophysical Union

Citation: Endocrine disruptors found in bottlenose dolphins (2018, September 5) retrieved 26 April 2024 from <https://phys.org/news/2018-09-endocrine-disruptors-bottlenose-dolphins.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--