

# NASA satellite finds Hurricane Florence undergoing eyewall replacement

September 11 2018





At 2:30 a.m. EDT (0630 UTC) on Sept. 11, 2018 the MODIS instrument aboard NASA's Aqua satellite looked at Hurricane Florence in infrared light. MODIS found coldest cloud top temperatures around the eye, as cold as or colder than minus 80 degrees (yellow) Fahrenheit (minus 112 degrees Celsius). Surrounding the eye were thick rings of powerful storms with cloud tops as cold as or colder than minus 70 degrees (red) Fahrenheit (minus 56.6 degrees Celsius). Credit: NASA/NRL

NASA's Aqua satellite provided an infrared look at powerful Hurricane Florence early on Sept. 11 that indicated it was likely undergoing eyewall replacement.

Intense hurricanes can and often undergo an eyewall replacement cycle. That happens when a new eyewall or ring of thunderstorms within the outer rain bands forms further out from the storm's center, outside of the original eye wall. That ring of thunderstorms then begins to choke off the original eye wall, starving it of moisture and momentum. Eventually, if the cycle is completed, the original eye wall of thunderstorms dissipates and the new outer eye wall of thunderstorms contracts and replace the old eye wall. The storm's intensity can fluctuate over this period, initially weakening as the inner eye wall dies before again strengthening as the outer eye wall contracts.

#### **Infrared and Microwave Satellite Images Reveal**

NOAA's National Hurricane Center (NHC) said that recent satellite imagery shows that the eye of Florence has become cloud filled. A microwave image of the storm at 12:41 a.m. EDT (0441 UTC) showed a double eyewall structure. These observations suggest that an eyewall replacement cycle is likely underway.



At 2:30 a.m. EDT (0630 UTC) on Sept. 11, Moderate Resolution Imaging Spectroradiometer or MODIS instrument aboard NASA's Aqua satellite analyzed Hurricane Florence in infrared light. MODIS found coldest cloud top temperatures around the eye, as cold as or colder than minus 80 degrees Fahrenheit (F)/minus 112 degrees Celsius (C). Surrounding the eye were thick rings of powerful storms with cloud tops as cold as or colder than minus 70F (minus 56.6C).

NASA research has found that cloud top temperatures as cold as or colder than the 70F/56.6C threshold have the capability to generate heavy rainfall.

### **Analyzing Sea Surface Temperatures Ahead**

Infrared data also shows that the sea surface temperatures ahead of Florence are at least 84.2 degrees Fahrenheit (29 degrees Celsius). That's important because tropical cyclones need sea surface temperatures of at least 80F (26.6C) to maintain intensity. Warmer <u>sea surface</u> <u>temperatures</u> provide more energy for the tropical cyclone.

# Watches and Warnings Already in Effect

NHC noted a Storm Surge Watch is in effect for Edisto Beach, South Carolina to the North Carolina-Virginia border and for the Albemarle and Pamlico Sounds, including the Neuse and Pamlico Rivers. A Hurricane Watch is in effect for Edisto Beach South Carolina to the North Carolina-Virginia border and for the Albemarle and Pamlico Sounds.

# Florence at 8 a.m. EDT on Sept. 11, 2018

At 8 a.m. EDT (1200 UTC), the center of Hurricane Florence was



located near latitude 26.4 degrees north and longitude 64.6 degrees west. That's about 405 miles (655 km) south of Bermuda and 950 miles (1,530 km) east-southeast of Cape Fear, North Carolina.

Florence is moving toward the west-northwest near 15 mph (24 kph). A west- northwestward to northwestward motion with a slight increase in forward speed are expected during the next couple of days. Data from the reconnaissance aircraft indicate that the minimum central pressure is 950 millibars.

NHC said "reports from an Air Force Reserve Unit <u>hurricane</u> hunter aircraft indicate that maximum sustained winds have decreased to near 130 mph (215 km/h) with higher gusts. However, Florence is still a category 4 hurricane on the Saffir-Simpson Hurricane Wind Scale. Restrengthening is forecast to occur during the next day or so, and Florence is expected to be an extremely dangerous major hurricane through Thursday night. Hurricane-force winds extend outward up to 40 miles (65 km) from the center and tropical-storm-force winds extend outward up to 150 miles (240 km).

#### **Florence Churning High Seas**

At 5 a.m. EDT on Sept. 11, NOAA buoy 41049 located about 80 nautical miles north of the eye, has reported tropical-storm-force winds during the last several hours and seas as high as 23 feet.

#### **Florence's Forecast Track**

On the forecast track, the center of Florence will move over the southwestern Atlantic Ocean between Bermuda and the Bahamas through Wednesday, and approach the coast of North Carolina or South Carolina on Thursday, Sept. 13.



#### Provided by NASA's Goddard Space Flight Center

Citation: NASA satellite finds Hurricane Florence undergoing eyewall replacement (2018, September 11) retrieved 27 June 2024 from <u>https://phys.org/news/2018-09-nasa-satellite-hurricane-florence-eyewall.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.