

## North Korea's 2017 bomb test set off later earthquakes, new analysis finds

September 24 2018



A 2017 nuclear bomb test at North Korea's Mt. Mantap (star) set off subsequent earthquakes northwest of the test site over a period of 8 months. Seismic stations in Russia, China and South Korea picked up the tremors. Credit: Won-Young



Kim/Lamont-Doherty Earth Observatory

Using newly refined analysis methods, scientists have discovered that a North Korean nuclear bomb test last fall set off aftershocks over a period of eight months. The shocks, which occurred on a previously unmapped nearby fault, are a window into both the physics of nuclear explosions, and how natural earthquakes can be triggered. The findings are described in two papers just published online in the journal *Seismological Research Letters*.

The September 3, 2017 underground test was North Korea's sixth, and by far largest yet, yielding some 250 kilotons, or about 17 times the size of the bomb that destroyed Hiroshima. Many experts believe the device was a hydrogen bomb—if true, a significant advance from cruder atomic devices the regime previously exploded. The explosion itself produced a magnitude 6.3 earthquake. This was followed 8.5 minutes later by a magnitude 4 quake, apparently created when an area above the test site on the country's Mt. Mantap collapsed into an underground cavity occupied by the bomb.

The test and collapse were picked up by seismometers around the world and widely reported at the time. But later, without fanfare, seismic stations run by China, South Korea and the United States picked up 10 smaller shocks, all apparently scattered within 5 or 10 kilometers around the test site. The first two came on Sept. 23, 2017; the most recent was April 22, 2018. Scientists assumed the bomb had shaken up the earth, and it was taking a while to settle back down. "It's not likely that there would be so many events in that small area over a small period of time," said the lead author of one of the studies, Won-Young Kim, a seismologist at Columbia University's Lamont-Doherty Earth Observatory. "These are probably triggered due to the explosion."



After looking at the series of aftershock reports, Kim's group sifted more closely through the data and spotted three other aftershocks that had not previously been recognized, for a total of 13. The tremors were all modest, all between magnitude 2.1 and 3.4, and almost certainly harmless. In the past they would have been hard to pick out using far-off seismometers, he said. However, under new international cooperation agreements, he and colleagues obtained recordings from relatively nearby instruments including ones in Ussuriysk, Russia, a borehole in South Korea, and Mudanjiang, northeast China.

The group then used a new analysis method developed in part by Lamont seismologist David Schaff that looks at energy waves that are much lower frequency and slower-moving seismic than those used in conventional earthquake analyses. These slow-moving waves allowed Schaff and the rest of the team to pinpoint the locations of the quakes with far greater precision than with conventional recordings. Instead of the random scatter initially seen, the <u>quake</u> locations lined up in a neat 700-meter-long row about 5 kilometers northwest of the blast—indication of a hidden fracture.

Seismometers have long been routinely used to verify nuclear test treaties, and scientists have become increasingly confident that they can detect even small tests and distinguish them from natural earthquakes. But the link between explosions and subsequent quakes is less studied. Seismologists documented a handful of apparent aftershocks near a Nevada test site in the 1970s, and near a Soviet <u>test</u> site in Kazakhstan in 1989. However, they were not able to pinpoint the locations of these quakes with the technology then available. With more instruments and the new analysis method, 'now we can see everything," said Paul Richards, a Lamont seismologist who coauthored the papers. "It's a radical improvement in cataloging even tiny, tiny earthquakes. It shows not just what we can do with natural earthquakes, but that we can monitor what the North Koreans are doing. North Korea can't do



anything at all now [in secret] and expect to get away with it."

Richards said the exact location of tiny quakes could also help in the so far largely fruitless quest by some seismologists to predict bigger quakes. Richards did not assert that quakes could eventually be predicted, but said, "If you're ever going to do this, you have to understand locations, and how one earthquake affects its neighbors."

This spring, the North Koreans made a show of blowing up part of the Mt. Mantap site, though it may already have become largely unusable due to the destruction caused by previous explosions. And no nuclear tests have been detected since North Korean leader Kim Jong Un and U.S. president Donald Trump met in June to discuss ending North Korea's tests. However, despite boasts by Trump that North Korea's program has been neutralized, U.S. diplomats have noted evidence suggesting that the North continues to quietly develop its weapons.

Lamont scientists have studied previous North Korean tests, including ones in 2013 and 2009; they concluded that reports of one in 2010 was a false alarm. The current studies were coauthored by Eunyoung Jo and Yonggyu Ryoo of the Korea Meteorological Administration.

**More information:** 'Identification of Seismic Events on and Near the North Korean Test Site After the Underground Nuclear Test Explosion of 3 December 2017' *Seismological Research Letters* (2018).

Provided by Columbia University

Citation: North Korea's 2017 bomb test set off later earthquakes, new analysis finds (2018, September 24) retrieved 4 May 2024 from <u>https://phys.org/news/2018-09-north-korea-earthquakes-analysis.html</u>



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.