

How the African elephant cracked its skin to cool off

October 2 2018



Elephants in the Arusha Region, Tanzania. Credit: Michel Milinkovitch

An intricate network of minuscule crevices adorns the skin surface of the African bush elephant. By retaining water and mud, these micrometer-wide channels greatly help elephants in regulating their body

temperature and protecting their skin against parasites and intense solar radiation. Today, researchers at the University of Geneva (UNIGE), Switzerland, and the Swiss Institute of Bioinformatics (SIB) report in the journal *Nature Communications* that African elephant skin channels are true fractures of the brittle and desquamation-deficient outermost skin layer. The scientists show that the elephant's hyperkeratinised skin grows on a lattice of millimetric elevations, causing fractures due to local mechanical stress from bending.

African [elephants](#) are well-known to love bathing, spraying and mud wallowing. These behaviours are not just for fun. Indeed, African elephants lack the sweat and sebum glands that allow many other mammals to keep their [skin](#) moist and flexible. Furthermore, because of their huge body size and their warm and dry habitat, African elephants can avoid overheating only via evaporation of the water they collect in and on their skin. By covering themselves with mud, African elephants also avoid the attacks of relentless parasites and the excessive exposure of their skin to solar radiation. Very close inspection of African elephant skin indicates that, in addition to its characteristic wrinkling, the integument is deeply sculpted by an intricate network of interconnected, minuscule crevices. This fine pattern of millions of channels prevents shedding of applied mud and allows spreading and retention of five to 10 times more water than a flat surface.

Thanks to skin samples provided by scientists and museums in Switzerland, France and South Africa, a multidisciplinary team lead by Michel Milinkovitch, professor at the Department of Genetics and Evolution of the UNIGE Faculty of Science and Group Leader at the SIB Swiss Institute of Bioinformatics, shows today that African elephant skin channels are true cracks caused by local bending stress due to the epidermis being hyper-keratinised, shedding-deficient, and growing on a lattice of millimetric elevations of the skin. Using a custom computer model, Antonio Martins, Ph.D. student in the Milinkovitch's laboratory,

showed that the combination of these three parameters is sufficient to cause mechanical bending stress to accumulate in between the skin elevations during the progressive thickening of the skin until cracks are formed.

Bending rather than tensile cracking

The visual aspect of the cracking pattern on the skin of the African elephant bears a striking resemblance to cracks caused by tensile stress in drying mud, in damaged asphalt, on polar landscapes of Earth and Mars, as well as in spectacular geological formations such as the basalt columns of the Giant's Causeway in Northern Ireland and of the Devil's Postpile in eastern California. It was therefore tempting to hypothesise that the African elephant's skin cracks are generated by shrinkage of the skin. However, the computer simulations performed by the Swiss team indicate that shrinkage generates heterogeneous distributions of cracks that propagate over papillae, whereas cracks on the real skin occur nearly exclusively along the troughs, rejecting the 'cracking by shrinking' hypothesis. On the other hand, when the researchers implemented in their computer simulations the thickening of the skin (new layers are constantly added at the basis of the epidermis), mechanical bending stress accumulated in the valleys, causing the keratinised epidermis to crack only in the micro-valleys, reinforcing the new 'cracking by bending' results.

One focus of developmental biology is to describe how forms and shapes are generated by heterogeneous tissue differentiation and growth, controlled by differential gene expression across the body. However, complex morphologies can also emerge as mechanical instabilities (folds, wrinkles) caused by mismatched growth between adherent tissue layers. Famous examples are the looping of the gut and folding of the cerebral cortex. While cracking, another type of mechanical instability, is commonplace in non-living materials, it is far less ubiquitous in

biological systems. The Milinkovitch's lab showed a few years ago that the pattern of crocodile head scales forms through skin folding, and that their dynamic of propagation and polygonal pattern formation is analogous to those of cracking in drying mud. Here, the Swiss team shows for the first time that African elephant skin exhibits a myriad of channels that are true physical cracks of its keratinised epidermis.

Elephants helping understand a human pathology

Thickening of the African elephant keratinised epidermis is due to an imbalance between its formation at its base and its shedding at the skin surface. Strikingly, the Swiss team shows strong similarities between the normal skin morphology of African elephants and that of humans affected by ichthyosis vulgaris, a common genetic disorder (affecting about 1 in 250 people) that is known to impact desquamation (shedding of the skin) and causes dry, scaly skin. If validated by detailed molecular and cell biology comparisons, this equivalence would then make a remarkable link between a human pathological condition and the skin of an iconic species of pachyderm. "This correspondence would also demonstrate that similar mutations that occurred independently in the evolutionary lineages of humans and elephants turned out to be unfavourable in the former and adaptive in the latter," says Michel Milinkovitch.

More information: António F. Martins et al, Locally-curved geometry generates bending cracks in the African elephant skin, *Nature Communications* (2018). [DOI: 10.1038/s41467-018-06257-3](https://doi.org/10.1038/s41467-018-06257-3)

Provided by University of Geneva

Citation: How the African elephant cracked its skin to cool off (2018, October 2) retrieved 26 April 2024 from <https://phys.org/news/2018-10-african-elephant-skin-cool.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.