

Cheminformatics approaches to creating new hair dyes

October 23 2018, by Tova Williams



Researchers use the Max Weaver Dye Library to find new, safer hair-coloring products. Credit: George Van Den Driessche.

Finding the next generation of safer hair dyes may be as simple as going to the library – in this case, NC State's Max Weaver Dye Library. The dye library, donated by the Eastman Chemical Company, contains nearly 100,000 unique dyes waiting to be fashioned into the products of tomorrow.

Researchers from NC State's College of Textiles and the Department of Chemistry searched the Max Weaver Dye Library for compounds with high [chemical](#) similarity to known reference [hair](#) dyes. Chemical similarity is a measurement of the number of shared structural properties between two compounds. The goal is to discover possible dyes that could be used in next-generation hair-color products that are safer for consumers, stylists and the environment.

A computer-based similarity search, a cheminformatics tool for measuring chemical similarity, was performed to examine more than 2,100 digitized library dyes. The researchers found a subset of 158 compounds with high chemical similarities to the reference hair dyes. Further study reduced viable hair dye candidates down to four dyes and then further down to the two most promising Max Weaver Dye candidates.

"We now have potentially a new subclass of dyes that hold promise for use in hair," says Tova Williams, a former NC State Ph.D. student and lead author of a journal article about the research. "One in particular has the potential to have a stronger bond with hair."

Coloring hair is a multibillion-dollar global business that's growing rapidly. Hair dyes are divided into three basic types, depending on how long they last. Temporary dyes, which coat the hair surface, wash out with one or two shampoos. Semi-permanent dyes last a bit longer – through six to eight washings.

About 80 percent of commercial [hair dyes](#) on the market, however, are permanent. When a permanent hair dye is applied, tiny precursor molecules slip inside the core of hair fibers, where they "join hands" to form larger molecules and impart color, Williams says. Permanent hair color resists washing out because it's physically entrapped inside the hair shaft through the chemical process of oxidation.

"The goal is to use alternative precursors that are not toxic and that don't cause skin-sensitive allergies," Williams said. "By modifying the structure of key [compounds](#) in the dye library, we hope to design novel dye precursors that are environmentally safe, put them into hair and then transform them into colors to take advantage of the unique dye compound structures.

"There's more work to be done, but this is a promising start," Williams said.

The study appears in *ACS Sustainable Chemistry and Engineering*.

More information: Tova N. Williams et al. Toward the Rational Design of Sustainable Hair Dyes Using Cheminformatics Approaches: Step 2. Identification of Hair Dye Substance Database Analogs in the Max Weaver Dye Library, *ACS Sustainable Chemistry & Engineering* (2018). [DOI: 10.1021/acssuschemeng.8b02882](https://doi.org/10.1021/acssuschemeng.8b02882)

Provided by North Carolina State University

Citation: Cheminformatics approaches to creating new hair dyes (2018, October 23) retrieved 10 April 2024 from <https://phys.org/news/2018-10-cheminformatics-approaches-hair-dyes.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--