

Defects promise quantum communication through standard optical fiber

October 1 2018



Illustration of optical polarization of defect spin in silicon carbide Credit: Tom Bosma, University of Groningen

An international team of scientists led by the University of Groningen's Zernike Institute for Advanced Materials created quantum bits that emit



photons that describe their state at wavelengths close to those used by telecom providers. These qubits are based on silicon carbide in which molybdenum impurities create color centers. The results were published in the journal *npj Quantum Information* on 1 October.

By using phenomena like superposition and entanglement, <u>quantum</u> computing and quantum communication promise superior computing powers and unbreakable cryptography. Several successes in transmitting these quantum phenomena through optical fibers have been reported, but this is typically at wavelengths that are incompatible with the standard fibers currently used in worldwide data transmission.

Physicists from the University of Groningen in the Netherlands, together with colleagues from Linköping University and semiconductor company Norstel AB, both in Sweden, have now reported the development of a qubit that transmits information on its status at a <u>wavelength</u> of 1,100 nanometers. Furthermore, the mechanism involved can likely be tuned to wavelengths near those used in data transmission (around 1,300 or 1,500 nanometers).

The work started with defects in silicon carbon crystals, explains Ph.D. student Tom Bosma, first author of the paper. "Silicon carbide is a semiconductor, and much work has been done to prevent impurities that affect the properties of the crystals. As a result, there is a huge library of impurities and their impact on the crystal." But these impurities can form what are known as color centers, and these respond to light of specific wavelengths.







Tom Bosma and Carmem Gilardoni in their optical lab at the University of Groningen. Credit: University of Groningen

When lasers shine light at the right energy onto these color centers, electrons in the outer shell of the molybdenum atoms in the silicon carbide crystals are kicked to a higher energy level. When they return to the ground state, they emit their excess energy as a photon. "For molybdenum impurities, these will be infrared photons with wavelengths near the ones used in data communication," explains Bosma.

This material was the starting point for constructing qubits, says fellow Ph.D. student Carmem Gilardoni, who did a lot of the theoretical work in the paper. "We used a technique called coherent population trapping to create superposition in the color centers." This exploited spin, a quantum mechanical phenomenon that gives the electrons a magnetic moment that can point up or down. This creates a qubit in which the spin states represent 0 or 1.

Gilardoni: "If you apply a magnetic field, the spins align either parallel or anti-parallel to the magnetic field. The interesting thing is that as a result, the ground state for electrons with spin up or spin down is slightly different." When laser light is used to excite the electrons, they subsequently fall back to one of the two ground states. The team, led by Professor in Physics of Quantum Devices Caspar van der Wal, used two lasers, each tuned to move electrons from one of the ground states to the same level of excitation, to create a situation in which a superposition of both spin states evolved in the color center.

Bosma: "After some fine tuning, we managed to produce a qubit in



which we had a long-lasting superposition combined with fast switching." Furthermore, the qubit emitted photons with information on the quantum state at infrared wavelengths. Given the large library of impurities that can create <u>color centers</u> in the <u>silicon carbide</u> crystals, the team is confident they can bring this wavelength up to the levels used in standard optical fibers. If they can manage this and produce an even more stable (and thus longer-lasting) superposition, the quantum internet will be a whole lot closer to becoming reality.

More information: Tom Bosma et al, Identification and tunable optical coherent control of transition-metal spins in silicon carbide, *npj Quantum Information* (2018). DOI: 10.1038/s41534-018-0097-8

Provided by University of Groningen

Citation: Defects promise quantum communication through standard optical fiber (2018, October 1) retrieved 29 June 2024 from <u>https://phys.org/news/2018-10-defects-quantum-standard-optical-fiber.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.