

# Self-assembling silicone-based polymers

October 23 2018




Figure 1. Self-assembling 2D+1D polymer structures. Credit: ©Fumitaka Ishiwari

Scientists at Tokyo Institute of Technology, RIKEN and Tohoku University have developed a silicone polymer chain that can self-assemble into a 3-D periodic structure. They achieved this by using their recently reported self-assembling triptycene molecules to modify the ends of the polymer chains.

The development of novel soft materials for various optical, mechanical, heat/charge transportation and nanotechnological applications would greatly benefit from techniques to create [polymer](#) assemblies in periodically ordered structures. Such ordered structures are created using molecular scaffolds or by modifying certain parts of the polymers used so that they self-assemble into the desired shape.

However, researchers nowadays consider that terminal functionalization (modifying both ends of a polymer [chain](#)) is not very effective for creating periodically ordered structures. That's why scientists from Tokyo Institute of Technology (Tokyo Tech), led by Fumitaka Ishiwari, were interested in revisiting one of their recently developed triptycene molecules, called 1,8,13-Trip. The team had already demonstrated that this molecule can reliably self-assemble into a periodic 3-D structure made of parallel 2-D sheets separated from each other by a fixed distance (see Fig. 1). "We were interested in investigating whether the powerful self-assembling ability of this triptycene motif would also operate in polymer systems," explains Ishiwari.




Figure 2. Structure of the modified PDMS molecules. Credit: ©Fumitaka Ishiwari

Therefore, the team designed polydimethylsiloxane (PDMS) chains with the ends replaced by a triptycene molecule. They hoped that these modified silicone chains would also exhibit the promising self-assembling behavior observed for 1,8,13-Trip alone, and thus had to run many different experiments to prove it, including Synchrotron-Radiation X-ray diffraction/scattering using the BL45XU beamline at SPring-8 (Hyogo, Japan), differential scanning calorimetry and spectroscopy measurements. Fortunately, all results seemed to indicate that the modified PDMS chains had self-assembled into the 3-D periodic structure shown in Fig. 2. This was also verified by analyzing the differences in the flow characteristics of the modified PDMS chains and regular PDMS chains.

The team's findings are very promising because the triptycene motif used is simple and easy to synthesize via short steps, and may provide a

powerful tool for organizing polymers and reinforcing their structural and physical properties. "The present finding will update the general notion that terminal functionalization is not effective for achieving the controlled assembly of polymers into a periodically ordered [structure](#)," concludes Ishiwari. The team will carry on investigating the self-organization of polymers, and it is hoped that the results will lead to the development of novel materials and synthesis techniques.

Professor Masaki Takata of Tohoku University attributed the success of the study to the collaborative efforts of the Network Joint Research Center for Materials and Devices and the large scale Synchrotron Radiation facility, SPring-8, managed by RIKEN. He added that "this would hopefully also trigger a big demand for further high quality materials, which can be developed at the next-generation 3GeV synchrotron facility, due to begin construction at Tohoku University next year."

**More information:** Fumitaka Ishiwari et al. Terminal Functionalization with a Triptycene Motif That Dramatically Changes the Structural and Physical Properties of an Amorphous Polymer, *Journal of the American Chemical Society* (2018). [DOI: 10.1021/jacs.8b09242](#)

Provided by RIKEN

Citation: Self-assembling silicone-based polymers (2018, October 23) retrieved 20 April 2024 from <https://phys.org/news/2018-10-self-assembling-silicone-based-polymers.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.