


# Strong Indian monsoons steer Atlantic hurricanes towards land, study finds

October 23 2018

---



Indian monsoon steers tropical cyclones across the Atlantic. Credit: Mike Perkins and Patrick Kelly at Pacific Northwest National Laboratory

Strong monsoons in the Indian Ocean can induce easterly winds that push Atlantic Ocean hurricanes westward, increasing the likelihood they'll make landfall in the Americas, according to new research.

A new study finds that in years where summer rainstorms in India are stronger, Atlantic hurricanes move further westward towards land. In years where the rains aren't as strong, hurricanes tend to curve northward earlier and fizzle out in the north Atlantic Ocean.

This newly-discovered relationship could help scientists better predict the path of oncoming hurricanes, especially in late summer months like September, when Atlantic [hurricane](#) activity peaks, according to the study's authors.

"What amazes me is how rainfall near India can drive important changes to Atlantic hurricanes half a world away," said Patrick Kelly, an atmospheric researcher at the Department of Energy's Pacific Northwest National Laboratory in Richland, Washington and lead author of the new study in *Geophysical Research Letters*, a journal of the American Geophysical Union. "This research is the first to draw the connection between Atlantic hurricanes and the Indian monsoon."

The Indian monsoon season has typically waned by September, but climate projections suggest that under future warming conditions, monsoon precipitation will increase, and the monsoon season could end later in the year. As the climate continues to warm, the monsoon could have an increasing influence on the paths of Atlantic hurricanes,

according to the new study.

"Forecasting for landfall of hurricanes on seasonal timescales is something we just haven't typically done," said Benjamin Kirtman, a professor of meteorology at the University of Miami who was not involved in the new research. "The thing that is profoundly exciting about this work is its potential to improve seasonal forecasting and predict landfalling hurricanes."

## **Finding an unexpected connection**

Previous research has attributed changes in hurricane steering to El Niño-Southern Oscillation (ENSO), a periodic fluctuation in sea surface temperature and air pressure in the equatorial Pacific Ocean. Scientists have traditionally relied on the La Niña cool phase of ENSO to make predictions about how strong a particular Atlantic hurricane season will be, but have trouble forecasting the paths of individual hurricanes.

"In seasonal forecasting of hurricanes, our biggest predictor of what's going to happen has typically been La Niña," Kirtman said.

"Unfortunately, seasonal forecasting based on La Niña hasn't been able to tell us much about landfall."

In the new study, Kelly and his colleagues wanted to find out how the Indian monsoon, a known source of climate variability, affected hurricane tracks, since the Indian monsoon had not yet been investigated in the context of Atlantic hurricanes. They conducted simulations of hurricane tracks with a model that incorporates observed variations of monsoon intensity and found that in response to strong monsoons, hurricanes shifted significantly westward.

Strong monsoons influence hurricane steering by enhancing the effects of the North Atlantic subtropical high, a center of high atmospheric

pressure in the Atlantic Ocean. When the subtropical high increases, stronger winds come from the east and push hurricanes westward.

According to Kelly, La Niña and the Indian monsoon are correlated, but the strength of the monsoon influences the steering of hurricanes independently of La Niña fluctuations, which are responsible for changes in hurricane frequency. In other words, La Niña fluctuations may result in more Atlantic hurricanes, but strong Indian monsoons steer them further westward, making it more likely they will make landfall in the Americas.

It's important to account for the correlation when studying hurricane steering and landfall probability.

"This work untangles La Niña's role on frequency, whether there are more or less hurricanes, from the steering impacts of winds, governed by the Indian monsoon," Kelly said. "La Niña events often happen during a strong [monsoon](#), and they are correlated, but this work helps separate the independent influence of those two phenomena."

**More information:** Patrick Kelly et al, Shape of Atlantic Tropical Cyclone Tracks and the Indian Monsoon, *Geophysical Research Letters* (2018). [DOI: 10.1029/2018GL080098](https://doi.org/10.1029/2018GL080098)

Provided by American Geophysical Union

Citation: Strong Indian monsoons steer Atlantic hurricanes towards land, study finds (2018, October 23) retrieved 27 April 2024 from <https://phys.org/news/2018-10-strong-indian-monsoons-atlantic-hurricanes.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.