

How birds and insects reacted to the solar eclipse

(a) obscuration (%) 100 90 80 70 60 *(b)* 21 Aug 2017 eclipse 21 Aug 2017 sunset (*c*) 500 -400 obscuration <80% 80-95% 400 300 95-100% VIR $\rm cm^2~km^{-2}$ 300 200 200 100 100 0 0 100 -100-50 0 50 -100 -50 50 100 0 minutes from maximum eclipse minutes from sunset (d)19 Aug 2017 (e) 20 Aug 2017 (f) 22 Aug 2017 (g) 23 Aug 2017 300 $VIR \text{ cm}^2 \text{ km}^{-2}$ 200 100 0 0 -100 -50 50 100 -100 -50 50 100 -100 -50 0 50 100 -100 -50 0 50 100 0 minutes from 'eclipse' minutes from 'eclipse' minutes from 'eclipse' minutes from 'eclipse'

November 14 2018, by Bob Yirka



(a) The path of eclipse totality through the network of weather surveillance radars in the continental USA, 21 August 2017. All 143 sites included in this study, coloured by the maximum amount of obscuration. The path of totality, where obscuration is 100%, is shown in grey, and the eight sites located within the path of totality are outlined in black. (b–g) Patterns of biological activity in the atmosphere as sampled by NEXRAD. The smoothed mean (generalized additive model) amount of vertically integrated reflectivity (VIR) at all sites, grouped after amount of maximal obscuration: (b) during the eclipse (less than 80: n = 54, 80–95: n = 58, 95–100: n = 26), (c) at sunset the day of the eclipse (less than 80: n = 52, 80–95: n = 59, 95–100: n = 26); and at the time of day of the eclipse on: (d) 19 August (less than 80: n = 54, 80–95: n = 59, 95–100: n = 27), (e) 20 August (less than 80: n = 54, 80–95: n = 59, 95–100: n = 27), and (g) 23 August (less than 80: n = 55, 80–95: n = 60, 95–100: n = 27). Note different scale on y-axis in (c). Credit: *Biology Letters* (2018). DOI: 10.1098/rsbl.2018.0485

A team of researchers with Cornell University and the University of Oxford has found that birds and insects reacted in some surprising ways to the 2017 U.S. total solar eclipse. In their paper published in the journal *Biology Letters*, the group describes their study of birds and insects during the solar eclipse using Doppler radar data and what they found.

In this new effort, the researchers sought to better understand how creatures such as birds and insects respond to atypical periods of <u>darkness</u> such as a total <u>solar eclipse</u>. To that end, they gained access to data from 143 weather stations that had captured the activities of multiple birds and insects in different parts of the United States during the August 21, 2017, solar eclipse. They note that due to the short lifespan of birds and insects, none of them would ever have experienced



an eclipse before. Thus, the sudden darkness would present an unexpected change in their environment.

In looking at the Doppler <u>radar</u> data and analyzing it using machinelearning programs, the researchers were able to establish movements of flying species from near the ground to approximately three miles up in the air. They report seeing unusual activity up to 50 minutes before the eclipse reached totality—many of the flying creatures began returning to ground or other perches. This was particularly so for those flying at high altitudes. The researchers suggest that it seems reasonable to attribute the change in <u>activity</u> to the creatures responding as they would to a storm—seeking shelter is a natural response to weather conditions that can prove deadly for small flying creatures.

The researchers also found something they thought was strange: A group of flyers, likely birds, changed their behavior just before totality, suddenly taking flight and quickly settling back to their perches once again. They suggest the reason was because the <u>birds</u> had become confused, at one moment thinking that normal darkness had arrived, only to discover that it was something else.

The researchers are planning to collect even more data the next time around—in 2024, a <u>total solar eclipse</u> will once again pass over major parts of the continental United States. They hope more precise radar data might be able to differentiate between animals.

More information: Cecilia Nilsson et al. Aeroecology of a solar eclipse, *Biology Letters* (2018). DOI: 10.1098/rsbl.2018.0485

© 2018 Science X Network

Citation: How birds and insects reacted to the solar eclipse (2018, November 14) retrieved 2 May



2024 from https://phys.org/news/2018-11-birds-insects-reacted-solar-eclipse.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.