

How we can get more out of our forests

November 26 2018



Beech (*Fagus sylvatica*) forest. Beech forests, especially unmanaged ones, tend to have larger canopy cover and higher structural heterogeneity (both vertical and horizontal). Credit: Springer Nature, Picture by Peter Manning

Most European forests are primarily used for timber production. However, woodlands also offer spaces for recreation and they store carbon but it is not clear how forests can be managed for these multiple

benefits. A new study under the direction of the University of Bern is now showing how forestry can be improved so that wooded areas can fulfill as many services as possible.

The main objective of [forestry](#) in Europe is normally timber production. That is why our forests mostly consist of a few economically valuable tree species growing in uniform stands, in which the trees are all roughly the same age. Other forests are managed for values such as habitat conservation or recreation. All of these forests have something in common: they fulfill their main purpose, but could also perform many other services much better. For example, forests also regulate our climate and store carbon. Previously, it was not clear which kind of [forest](#) management would provide the most benefits. In order to see how forestry can be improved, so that the forest can perform several ecosystem services, an international research group under the direction of the University of Bern examined how different forest features affected 14 ecosystem services in Central European forests. The research consortium includes a total of 21 research institutions from Germany, Switzerland, and Austria. The study was published in *Nature Communications*.

Old trees and different shrub species



Spruce (*Picea abies*) forest. Conifer forests are often planted for timber production and have low structural heterogeneity (both vertical and horizontal). Credit: Springer Nature, Picture by Peter Manning

Earlier studies led by the University of Bern show that there is lot of opportunity for forests to supply multiple [ecosystem services](#). However, it was not evident what characterized these forest areas. This new study looked at many different forest attributes: such as the number of tree and shrub species the forest contained, how variable its structure was and how old the trees were. The researchers then identified which of these attributes promote specific services. The study shows that forests with old trees, many different shrub species, and a heterogeneous structure, including gaps, are best able to perform many different – but not all possible – services.

This study has practical management implications for foresters and could support the recent move towards promoting more multifunctional forests. The lead author of the study, María Felipe-Lucia from the Institute of Plant Sciences (IPS) of the University of Bern, says: "We were able to show that diverse and old forests were generally the best. Depending on which services they want to promote, foresters should, however, concentrate on specific forest attributes."

The "perfect forest" does not exist

The study also examined how different forest services related to each other. "In our study we used a new approach to identify some of the factors responsible for driving trade-offs and synergies between the services", explains María Felipe-Lucia. For example, one useful synergy occurs as the [trees](#) get older: this increases the carbon storage and the potential for birdwatching. Some compromises between the functions are unavoidable, however: "Conifer forests, for example, produce a lot of timber. On the other hand, they are not so good at carbon storage, and fewer plants of cultural value grow in conifer forests." The study's senior author, Eric Allan from the IPS, adds: "Our results show that promoting certain forest attributes is good for a lot of services but there is no forest type that can deliver all of the service we might want. We therefore probably want a mixed management system where we design diverse forest landscapes which contain a mix of patches with different attributes."

More information: María R. Felipe-Lucia et al. Multiple forest attributes underpin the supply of multiple ecosystem services, *Nature Communications* (2018). [DOI: 10.1038/s41467-018-07082-4](https://doi.org/10.1038/s41467-018-07082-4)

Provided by University of Bern

Citation: How we can get more out of our forests (2018, November 26) retrieved 19 April 2024 from <https://phys.org/news/2018-11-forests.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.