

Graphene takes a step toward renewable fuel

November 8 2018



Jianwu Sun at Linköping University inspecting the growth reactor for growth of cubic silicon carbide. Credit: Thor Balkhed/LiU

Using the energy from the sun and graphene applied to the surface of cubic silicon carbide, researchers at Linköping University, Sweden, are working to develop a method to convert water and carbon dioxide to the renewable energy of the future. They have now taken an important step



toward this goal, reporting a method that makes it possible to produce graphene with several layers in a tightly controlled process. The researchers have also shown that graphene acts as a superconductor in certain conditions. Their results have been published in the scientific journals *Carbon* and *Nano Letters*.

Carbon, oxygen and hydrogen are the three elements obtained by taking apart molecules of carbon dioxide and water. The same elements are the building blocks of chemical substances used for fuel, such as ethanol and methane. The conversion of carbon dioxide and water to renewable fuel could provide an alternative to fossil fuels and contribute to reducing carbon dioxide emissions into the atmosphere. Jianwu Sun, senior lecturer at Linköping University, is trying to find a way to do just that.

Researchers at Linköping University have previously developed a worldleading method to produce cubic silicon carbide, which consists of silicon and carbon. The cubic form has the ability to capture energy from the sun and create charge carriers. This is, however, not sufficient. Graphene, one of the thinnest materials ever produced, plays a key role in the project. The material comprises a single <u>layer</u> of <u>carbon</u> atoms bound to each other in a hexagonal lattice. Graphene has a high ability to conduct an electric current, a property that would be useful for solar energy conversion. It also has several unique properties, and possible uses of graphene are being extensively studied all over the world.

In recent years, the researchers have attempted to improve the process by which graphene grows on a surface in order to control the properties of the graphene. Their recent progress is described in an article in the scientific journal *Carbon*.

"It is relatively easy to grow one layer of graphene on silicon carbide. But it's a greater challenge to grow large-area uniform graphene that consists of several layers on top of each other. We have now shown that



it is possible to grow uniform graphene that consists of up to four layers in a controlled manner," says Jianwu Sun of the Department of Physics, Chemistry and Biology at Linköping University.

One of the difficulties posed by multilayer graphene is that the surface becomes uneven when different numbers of layers grow at different locations. The edge when one layer ends has the form of a tiny, nanoscale staircase. Flat layers are desirable, so these steps are a problem, particularly when the steps accumulate in one location, like a wrongly built staircase in which several steps have been united to form one large step. The researchers have now found a way to remove these large, united steps by growing the graphene at a carefully controlled temperature. Furthermore, the researchers have shown that their method makes it possible to control how many layers the graphene will contain. This is the first key step in an ongoing research project whose goal is to make fuel from water and <u>carbon dioxide</u>.

In a closely related article in the journal *Nano Letters*, the researchers describe investigations into the electronic properties of multilayer graphene grown on cubic silicon carbide.

"We discovered that multilayer graphene has extremely promising electrical properties that enable the material to be used as a superconductor, a material that conducts electrical current with zero electrical resistance. This special property arises solely when the graphene layers are arranged in a special way relative to each other," says Jianwu Sun.

Theoretical calculations had predicted that multilayer <u>graphene</u> would have superconductive properties, provided that the layers are arranged in a particular way. In the new study, the researchers demonstrate experimentally for the first time that this is the case. Superconducting magnets are extremely powerful magnets used in medical magnetic



resonance cameras and in particle accelerators. There are many potential areas of application for superconductors, such as electrical supply lines with zero energy loss, and high-speed trains that float on a magnetic field. Their use is currently limited by the inability to produce superconductors that function at room temperature. Currently available superconductors function only at extremely low temperatures.

More information: Yuchen Shi et al, Elimination of step bunching in the growth of large-area monolayer and multilayer graphene on off-axis 3C SiC (111), *Carbon* (2018). DOI: 10.1016/j.carbon.2018.08.042

Weimin Wang et al. Flat-Band Electronic Structure and Interlayer Spacing Influence in Rhombohedral Four-Layer Graphene, *Nano Letters* (2018). DOI: 10.1021/acs.nanolett.8b02530

Provided by Linköping University

Citation: Graphene takes a step toward renewable fuel (2018, November 8) retrieved 2 May 2024 from <u>https://phys.org/news/2018-11-graphene-renewable-fuel.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.