

Whether herbivores increase or decrease plant diversity depends on what's on the menu

November 26 2018, by Harrison Tasoff



An impala browses upon a shrub in Kruger National Park, South Africa.
Credit: John Parker/University of California - Santa Barbara

Cows eat grass. It seems simple enough. But just which kind of grass cows and their vegetarian comrades munch on can influence the entire ecosystem.

Scientists have long known that herbivores affect the [plant diversity](#) around them. The thought was that in highly productive ecosystems—like jungles and tropical savannas—animals would favor dominant, fast-growing plants. This would free up nutrients and space, allowing for a greater variety of plants to thrive in the ecosystem overall. In contrast, herbivores in regions with low plant biomass—such as tundras and deserts—would eat whatever they could find, driving down [plant diversity](#) in the nutrient-strapped ecosystems.

Now, a team of [scientists](#) including UC Santa Barbara's Deron Burkepile has tested this hypothesis by conducting a meta-analysis of studies that investigated the effects of herbivory on the plant diversity in different kinds of grasslands around the world. Burkepile, an associate professor of ecology, helped lead the 82-person team of biologists as they reviewed 252 different studies comparing plant diversity in areas where herbivores were and were not excluded. Their findings appear in the journal *Nature Ecology and Evolution*.

When the dust settled, the correlation between herbivory and diversity wasn't nearly as clear as everyone had expected. "The data was kind of like a shotgun blast," Burkepile said. "So we wanted to tease apart why you'd see this highly variable relationship around this fairly well-accepted idea in ecology."

Although the connection was small between the productivity of the ecosystem and the effects of herbivory on plant diversity, the team noticed another, much stronger association. When the ecosystem hosted a particularly vigorous [species](#) of plant, herbivory seemed to be crucial in maintaining biodiversity.

For instance, grasslands in the tallgrass prairie in the American Midwest tend to be dominated by fast-growing grasses, such as big bluestem, that give that area its iconic name. The team discovered that herbivores had

an outsized effect on maintaining biodiversity by keeping big bluestem from taking over and outcompeting dozens of smaller, slower growing plant species.

However not all herbivores are on an equal foot, or hoof.

The team found that the connection between herbivory and diversity was particularly strong in grasslands where more animals graze on grass than on herbs and shrubs. This seems reasonable, since grasses tend to be the dominant species in grasslands, as the name suggests.

What's more, Burkepile previously discovered that invasive animals tend to promote the spread of invasive plants, and vice versa for native animals and plants. Native plants are particularly vulnerable to invasive herbivores because they never evolved defenses against these foreigners. Not only do invasive animals reduce the abundance of native plants, they also open land and resources for invasive [plants](#) to spread.

For example, cattle introduced into American grasslands often suppress native grasses and facilitate the spread of unpalatable invasive species, like cheatgrass, Burkepile said. Scientists call this an invasional meltdown, and the [team](#) hopes to suss out more details about this phenomenon in future work.

These findings are more than academic. "We've seen three decades of really important papers saying that ecosystems work better when you have more species in them," Burkepile said. "What our data suggests is that herbivores are especially important for maintaining this biodiversity in places where you have a plant species that is potentially really dominant."

As biodiversity continues to decline worldwide, conservationists are looking for ways to prevent catastrophic losses.

"This suggests that one potential method to managing [ecosystems](#) and [biodiversity](#) is to use herbivores to manage these [dominant species](#)," Burkepile said.

More information: Sally E. Koerner et al. Change in dominance determines herbivore effects on plant biodiversity, *Nature Ecology & Evolution* (2018). [DOI: 10.1038/s41559-018-0696-y](https://doi.org/10.1038/s41559-018-0696-y)

Provided by University of California - Santa Barbara

Citation: Whether herbivores increase or decrease plant diversity depends on what's on the menu (2018, November 26) retrieved 26 April 2024 from <https://phys.org/news/2018-11-herbivores-decrease-diversity-menu.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.