

History of early settlement and survival in Andean highlands revealed by ancient genomes

November 8 2018



The location of ancient samples near Lake Titicaca, elevation 3812 meters, in what is now Peru and Bolivia. Credit: Authors of the study

A multi-center study of the genetic remains of people who settled thousands of years ago in the Andes Mountains of South America reveals a complex picture of human adaptation from early settlement, to


a split about 9,000 years ago between high and lowland populations, to the devastating exposure to European disease in the 16th-century colonial period.

Led by Anna Di Rienzo, Ph.D., and John Lindo, Ph.D., JD, from the University of Chicago; Mark Aldenderfer, Ph.D., from the University of California, Merced; and Ricardo Verdugo from the University of Chile, the researchers used newly available samples of DNA from seven whole genomes to study how ancient Andean people—including groups that clustered around Lake Titicaca in Peru and Bolivia, 12,000 feet above sea level—adapted to their environment over the centuries.

In the journal *Science Advances*, they compared their seven historical genomes to 64 modern-day genomes from a current highland Andean population, the agropastoral Aymara of Bolivia, and the lowland hunter-gatherer Huilliche-Pehuenche in coastal Chile.

The goals were (1) to date the initial migration to the Andean highlands, (2) to identify the genetic adaptations to the high-altitude environment that allowed that settlement, (3) to estimate the impact of the European contact starting in the 1530s that caused the near annihilation of many lowland communities of South America.

"We have very ancient samples from the high Andes," said Di Rienzo. "Those early settlers have the closest affinity to the people who now live in that area. This is a harsh, cold, resource-poor environment, with low oxygen levels, but people there adapted to that habitat and the agrarian lifestyle."



Entry into the Americas 20 ka ago. High/low altitude split 8750 years. European contact 1532 AD. Credit: Study authors

The study, "The Genetic prehistory of the Andean highlands 7,000 years BP through European contact," uncovered several unexpected features.

The researchers found that highland Andeans experienced much smaller than expected population declines following contact with European explorers who first came to South America in the 1530s. In the lowlands, demographic modeling and historical records infer that up to 90 percent of residents may have been wiped-out after the arrival of Europeans. But the people living in the upper Andes had only a 27-percent population reduction.

Even though the highlanders lived in altitudes above 8,000 feet, which meant reduced oxygen, frequent frigid temperatures and intense ultra-violet radiation, they did not develop the responses to hypoxia seen in natives of other high-altitude settings, such as Tibet.

The Andeans may have adapted to high altitude hypoxia "in a different

way, via cardiovascular modifications," the researchers suggest. They found evidence of alterations in a gene called *DST*, which is associated with the formation of cardiac muscle. Andean highlanders tend to have enlarged right ventricles. This may have improved oxygen intake, enhancing blood flow to the lungs.

But the strongest adaptation signal the researchers found was in a gene called *MGAM* (maltase-glucoamylase) an intestinal enzyme. It plays an important role in the digestion of starchy foods such as potatoes—a food native to the Andes. A recent study suggests that the potato may have been domesticated in the region at least 5,000 years ago. Positive selection on the *MGAM* gene, the authors note, "may represent an adaptive response to greater reliance upon starchy domesticates."



One the burial context sampled at Jiskairumoko. The image shows one of the individuals encountered during excavation. The human remains have been removed in this image. Credit: Mark Aldenderfer

The early presence of this variant in Andean peoples suggests "a significant shift in diet from one that was likely more meat based to one more plant based," said UC Merced's Aldenderfer, an anthropologist. "The timing of the appearance of the variant is quite consistent with what we know of the paleo-ethno-botanical record in the highlands."

Although Andean settlers consumed a high-starch diet after they started to farm, their genomes did not develop additional copies of the starch related amylase gene, commonly seen in European farming populations.

A comparison of the ancient genomes with their living descendants also revealed selection for immune-related genes soon after the arrival of Europeans, suggesting that Andeans who survived may have had an advantage with regard to the newly introduced European pathogens.

"Contact with Europeans had a devastating impact on South American populations, such as the introduction of disease, war, and social disruption," explained Lindo. "By focusing on the period before that, we were able to distinguish environmental adaptations from adaptations that stemmed from historical events."

"In our paper," said Aldenderfer, "there was none of this prioritization of genes at the expense of archaeological data. We worked back and forth, genetics and archeology, to create a narrative consistent with all of the data at hand."

More information: J. Lindo et al., "The genetic prehistory of the Andean highlands 7000 years BP through European contact," *Science Advances* (2018). [DOI: 10.1126/sciadv.aau4921](https://doi.org/10.1126/sciadv.aau4921) , advances.sciencemag.org/content/4/11/eaau4921

Provided by University of Chicago Medical Center

Citation: History of early settlement and survival in Andean highlands revealed by ancient genomes (2018, November 8) retrieved 13 July 2024 from <https://phys.org/news/2018-11-history-early-settlement-survival-andean.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.