

Laser blasting antimatter into existence

November 5 2018



Radiation emitted by highly-relativistic electrons. Some electrons lose 80 percent of their energy in a single emission. This gamma-ray beam is very narrow: if you would point it to a wall of a house on the other side of the street, it would make a spot smaller than your fingertip. Credit: Marija Vranic, Instituto Superior Técnico, University of Lisbon.

Antimatter is an exotic material that vaporizes when it contacts regular matter. If you hit an antimatter baseball with a bat made of regular matter, it would explode in a burst of light. It is rare to find antimatter on



Earth, but it is believed to exist in the furthest reaches of the universe. Amazingly, antimatter can be created out of thin air—scientists can create blasts of matter and antimatter simultaneously using light that is extremely energetic.

How do scientists make <u>antimatter</u>? When electrons, negatively charged <u>subatomic particles</u>, move back and forth they give off light. If they move very fast, they give off a lot of light. A great way to make them move back and forth is to blast them with powerful laser pulses. The electrons become almost as fast as light, and they generate beams of gamma-rays (Figure 1). Gamma-rays are like X-rays, such as those at doctor's offices or airport security lines, but are much smaller and have even more energy. The light beam is very sharp, about the thickness of a sewing needle even a few feet away from its source.

When gamma-rays made by electrons run into each other, they can create matter-antimatter pairs—an electron and a positron. Now, scientists have developed a new trick to create these matter-antimatter pairs even more efficiently.

"We developed an 'optical trap' which keeps the <u>electrons</u> from moving too far after they emit gamma-rays," said Marija Vranic from the University of Lisbon, who will be presenting her work at the American Physical Society Division of Plasma Physics meeting in Portland, Ore. "They get trapped where they can be hit again by the powerful laser pulses. This generates more gamma-rays, which creates even more pairs of particles."

This process repeats, and the number of pairs grows very fast in what is called a "cascade." The process continues until the particles that have been created are very dense (Figure 2).





An optical trap for matter-antimatter plasma. The trap is formed by 4 lasers, arranged in one plane, all going towards the same point. When the lasers overlap, they form a 2D wave, with electric fields shown in the figure. There is a tiny object in the center, a nanowire 100x thinner than a human hair. The electrons are stripped off the wire and accelerated close to the speed of light. They are trapped in the wave, so when they lose most of their energy by emitting light, they get re-accelerated. The photons produce electron-positron pairs, themselves trapped. This process can create a dense electron-positron plasma that eventually converts most of the available laser energy into gamma-rays. Credit: Marija Vranic, Instituto Superior Técnico, University of Lisbon

Cascades are thought to occur naturally in faraway corners of the universe. For example, rapidly rotating neutron stars called pulsars have extremely <u>strong magnetic fields</u>, a trillion times stronger than the magnetic fields on Earth, that can produce cascades.

Studying cascades in the laboratory could shed light on mysteries related



to astrophysical plasmas in extreme conditions. These beams can also have industrial and medical applications for non-invasive high-contrast imaging. Further research is necessary to make the sources cheaper and more efficient, so that they can become widely available.

Provided by American Physical Society

Citation: Laser blasting antimatter into existence (2018, November 5) retrieved 24 May 2024 from <u>https://phys.org/news/2018-11-laser-blasting-antimatter.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.