

Peak performance: new stellarator experiments show promising results

November 5 2018




Figure 1:(Left) Wendelstein 7-X viewed from the outside. Visible is a section of the donut shaped vessel which houses the superconducting magnetic field coils. The surface contour of the wall follows the shape of the plasma. On average, the radius of the plasma is 55 cm. Credit: Glen Wurden, Max Planck Institute of Plasma Physics

Imagine building a machine so advanced and precise you need a supercomputer to help design it. That's exactly what scientists and engineers in Germany did when building the Wendelstein 7-X experiment. The device, funded by the German federal and state governments and the European Union, is a type of fusion device called a stellarator. The new experiment's goal is to contain a super-heated gas, called plasma, in a donut-shaped vessel using magnets that twist their way around the donut.

The team completed construction of Wendelstein 7-X, the world's most advanced superconducting stellarator, in 2015 and, since then, scientists have been busy studying its performance (Figure 1).

"The advantage of stellarators over other types of fusion machines is that the plasmas produced are extremely stable and very high densities are possible", said Dr. Novimir Pablant, a U.S. physicist from the Princeton Plasma Physics Laboratory, who works alongside a multinational team of scientists and engineers from Europe, Australia, Japan, and the United States (the U.S. collaboration is funded by the Department of Energy).

Using a tool called an X-ray spectrometer, Pablant studied the light given off by the [plasma](#) to answer an important question: Did the design of Wendelstein 7-X's twisted magnetic field work? His results indicate that, indeed, the plasma temperatures and electric fields are already in the range required for peak performance (Figure 2). He will present his work at the American Physical Society Division of Plasma Physics conference in Portland, Ore.

If the scientists working on Wendelstein 7-X are successful in optimizing the machine performance, the plasma contained in the donut will become even hotter than the sun. Atoms making up the plasma will fuse together, yielding safe, clean energy to be used for power. This achievement is a major milestone as it shows that it is possible to achieve

temperatures of more than 10 million degrees in high-density plasmas using only microwaves to heat the electrons in the plasma. This achievement takes us one step closer to making fusion power a reality.



Figure 2: Wide angle view of the interior of the Wendelstein 7-X plasma vessel, showing the different armour materials designed to take up the heat from the plasma. The surface contour of the wall follows the shape of the plasma. On average, the radius of the plasma is 55 cm. Credit: Bernhard Ludewig, Max Planck Institute of Plasma Physics

Provided by American Physical Society

Citation: Peak performance: new stellarator experiments show promising results (2018, November 5) retrieved 26 April 2024 from <https://phys.org/news/2018-11-peak-stellarator-results.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.