


Scientists engineer a functional optical lens out of 2-D materials

November 14 2018



Four ultrathin metalenses developed by University of Washington researchers and visualized under a microscope. Credit: [Liu et al., Nano Letters, 2018](#)

In optics, the era of glass lenses may be waning.

In recent years, physicists and engineers have been designing, constructing and testing different types of ultrathin [materials](#) that could replace the thick [glass lenses](#) used today in cameras and imaging systems. Critically, these engineered lenses—known as metalenses—are


not made of glass. Instead, they consist of materials constructed at the nano scale into arrays of columns or fin-like structures. These formations can interact with incoming light, directing it toward a single focal point for imaging purposes.

But even though metalenses are much thinner than glass lenses, they still rely on "high aspect ratio" structures, in which the column or fin-like structures are much taller than they are wide, making them prone to collapsing and falling over. Furthermore, these structures have always been near the wavelength of light they're interacting with in thickness—until now.

In a paper published Oct. 8 in the journal *Nano Letters*, a team from the University of Washington and the National Tsing Hua University in Taiwan announced that it has constructed functional metalenses that are one-tenth to one-half the thickness of the wavelengths of light that they focus. Their metalenses, which were constructed out of layered 2-D materials, were as thin as 190 nanometers—less than 1/100,000ths of an inch thick.

"This is the first time that someone has shown that it is possible to create a metalens out of 2-D materials," said senior and co-corresponding author Arka Majumdar, a UW assistant professor of physics and of electrical and computer engineering.

Their design principles can be used for the creation of metalenses with more complex, tunable features, added Majumdar, who is also a faculty researcher with the UW's Molecular Engineering & Sciences Institute.



A block letter W imaged by three different prototype metalenses (A, B and C) using different mathematical models — both without (left) and with (right) computational postprocessing. Credit: [Liu et al., Nano Letters, 2018](#)

Majumdar's team has been studying the design principles of metalenses for years, and previously constructed metalenses for full-color imaging. But the challenge in this project was to overcome an inherent design limitation in metalenses: in order for a metalens material to interact with light and achieve optimal imaging quality, the material had to be roughly the same thickness as the light's wavelength in that material. In mathematical terms, this restriction ensures that a full zero to two-pi phase shift range is achievable, which guarantees that any optical element can be designed. For example, a metalens for a 500-nanometer lightwave—which in the visual spectrum is green light—would need to be about 500 nanometers in thickness, though this thickness can decrease as the refractive index of the material increases.

Majumdar and his team were able to synthesize functional metalenses that were much thinner than this theoretical limit—one-tenth to one-half the wavelength. First, they constructed the metalens out of sheets of layered 2-D materials. The team used widely studied 2-D materials such

as hexagonal boron nitride and molybdenum disulfide. A single atomic layer of these materials provides a very small phase shift, unsuitable for efficient lensing. So the team used multiple layers to increase the thickness, although the thickness remained too small to reach a full two-pi phase shift.

"We had to start by figuring out what type of design would yield the best performance given the incomplete phase," said co-author Jiajiu Zheng, a doctoral student in electrical and computer engineering.

To make up for the shortfall, the team employed mathematical models that were originally formulated for liquid-crystal optics. These, in conjunction with the metalens structural elements, allowed the researchers to achieve high efficiency even if the whole phase shift is not covered. They tested the metalens' efficacy by using it to capture different test images, including of the Mona Lisa and a block letter W. The team also demonstrated how stretching the metalens could tune the focal length of the lens.

In addition to achieving a wholly new approach to metalens design at record-thin levels, the team believes that its experiments show the promise of making new devices for imaging and optics entirely out of 2-D materials.

"These results open up an entirely new platform for studying the properties of 2-D materials, as well as constructing fully functional nanophotonic devices made entirely from these materials," said Majumdar. Additionally, these materials can be easily transferred on any substrate, including flexible materials, paving a way towards flexible photonics.

More information: Chang-Hua Liu et al. Ultrathin van der Waals Metalenses, *Nano Letters* (2018). [DOI: 10.1021/acs.nanolett.8b02875](https://doi.org/10.1021/acs.nanolett.8b02875)

Provided by University of Washington

Citation: Scientists engineer a functional optical lens out of 2-D materials (2018, November 14)
retrieved 17 April 2024 from

<https://phys.org/news/2018-11-scientists-functional-optical-lens-d.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.