

Scientists identify key hantavirus receptor

November 21 2018

A global team of investigators has identified a key protein involved in Hantavirus Pulmonary Syndrome (HPS), a serious and sometimes fatal respiratory disease, according to research published today in the journal *Nature*.

Specifically, a cell-surface receptor protein called protocadherin-1 (PCDH1), commonly associated with human asthma, is responsible for facilitating lung cell infection and triggering HPS.

For decades, <u>scientists</u> have been attempting to identify the host molecules that mediate hantavirus infection and lead to HPS, which has a case fatality rate of 35-40 percent. Currently there are no licensed vaccines, prophylactics, or therapeutics to prevent or treat this highly pathogenic <u>disease</u>, which is transmitted to humans by infected rodents.

The study was co-led by John M. Dye, Ph.D, U.S. Army Medical Research Institute of Infectious Diseases (USAMRIID); Kartik Chandran, Ph.D, Albert Einstein College of Medicine (AECM); Thijn R. Brummelkamp, Ph.D., Netherlands Cancer Institute; and Zhongde Wang, Ph.D., Utah State University.

Through a genetic screen, the research team discovered that new world hantaviruses found in North and South America (Sin Nombre virus and Andes virus, respectively) were unable to infect cells when PCDH1 was "knocked out." Furthermore, when hamsters were depleted of PCDH1, then challenged with Andes virus, they were largely resistant to infection and lung injury.



"Our animal studies established that PCDH1 is essential for lung infection with new world hantaviruses, providing us with a viable target for blocking the disease," said co-first author and USAMRIID senior staff scientist Andrew S. Herbert, Ph.D.

Pathogenic hantaviruses first emerged in the United States in 1993, and USAMRIID played a key role in that discovery. In the midst of an unexplained outbreak of severe respiratory distress in several western states, USAMRIID and the Centers for Disease Control and Prevention worked jointly to confirm that the disease was caused by a hantavirus that had not previously been reported.

Notably, USAMRIID scientists went on to demonstrate that Syrian <u>hamsters</u> exposed to very low doses of Andes virus developed a disease that closely mimicked human HPS. This hamster model laid the groundwork for further research, including the study published today.

"The discovery of the cellular receptor for hantaviruses allows for rational and logical drug and antibody design," said Dye. "Stopping the virus from infecting lung tissue provides a route to eliminating HPS."

He also noted that the team's work showcases the importance of international collaboration, and further demonstrates how basic science research discoveries are critical to the development of medical countermeasures around the world.

"While hantavirus infections are rare, they're expected to increase in the coming decades as temperatures across the globe rise due to climate change," commented AECM's Chandran. "And we need to be better prepared for that possibility."

More information: Rohit K. Jangra et al, Protocadherin-1 is essential for cell entry by New World hantaviruses, *Nature* (2018). <u>DOI:</u>



<u>10.1038/s41586-018-0702-1</u>

Provided by US Army Medical Research Institute of Infectious Diseases

Citation: Scientists identify key hantavirus receptor (2018, November 21) retrieved 1 May 2024 from <u>https://phys.org/news/2018-11-scientists-key-hantavirus-receptor.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.