

# Stronger buildings could delay wildfire destruction, but not stop it, professor says

November 19 2018, by Kayla Wiles

---



Even though no building material is fire-proof, a few strategies could still allow more evacuation time during a future wildfire. Credit: Purdue University

Low humidity and strong winds in California mean that this month's wildfires could strike again. Unfortunately, better building materials and

planning can only offer so much protection, says a Purdue University natural hazards engineering expert.

"Two possible strategies to mitigate a structure's vulnerabilities to wildfire damage include incorporating better building materials, and creating a defensible space around the structure where a fire can be stopped," says Julio Ramirez, the center director for the National Science Foundation's Natural Hazards Engineering Research Infrastructure Network Coordination Office, and Purdue's Karl H. Kettelhut Professor of Civil Engineering.

"But no [building material](#) is completely fire-proof," he says.

The majority of wildfire damage so far is concentrated on buildings with wooden frames and flammable roof material.

To delay damage, Ramirez says that the frames should be substituted with concrete reinforced by steel, and the roofs with clay tiles. The type of windows is also important, as single-pane windows are vulnerable to glass breakage due to high temperatures.

A defensible space adds extra protection. Buildings in these regions should be farther apart from each other – since [human activity](#) in highly populated areas increases risk of fires – and as far away as possible from [wooded areas](#) or shrubbery.

When fire reaches a reinforced [concrete structure](#), the heat has to first cause the concrete to separate and fall off, exposing steel. Then the steel eventually melts and the structure can potentially collapse.

Despite its shortcomings, reinforced concrete combined with a defensible space could still buy time for people to evacuate along identified routes.

"The biggest problem with wildfires is how quickly they spread," Ramirez says. "Even though reinforced concrete can be more expensive than wood, it's not unreasonable for areas commonly stricken by this type of natural disaster."

Cities should also evaluate [power distribution](#), such as risk of a transformer spark initiating a [fire](#), and further educate residents on preventative measures in a dry environment.

Provided by Purdue University

Citation: Stronger buildings could delay wildfire destruction, but not stop it, professor says (2018, November 19) retrieved 26 April 2024 from <https://phys.org/news/2018-11-stronger-wildfire-destruction-professor.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--