


New bright high-redshift quasar discovered using VISTA

December 18 2018, by Tomasz Nowakowski



Results of SED fitting for VHS J0411-0907. The top panel shows the best fitting quasar model photometry (in red) to the data (in black). The blue line is for the quasar spectral template used to inferred model photometry. The filled area in the background represent the Pan-STARRS, VISTA and WISE filters. The second panel below, shows the residuals between the data and the fit, divided by

the total errors. The two other panel below show the same thing but for the brown dwarf model. Finally in the bottom panel are shown the 2000 cutouts in each filters along with the AB magnitudes. Credit: Pons et al., 2018.

Using the Visible and Infrared Survey Telescope for Astronomy (VISTA), astronomers have detected a new bright quasar at a redshift of about 6.8. The newly identified quasar, designated VHS J0411-0907, is the brightest object in the near-infrared J-band among the known quasars at redshift higher than 6.7. The finding is reported in a paper published December 6 on arXiv.org.

Powered by the most massive black holes, bright quasars (or quasi-stellar objects, QSOs) with high [redshift](#) (over 6.0) are important for astronomers as they are perceived as the brightest beacons highlighting the chemical evolution of the universe most effectively. However, such objects are extremely rare and difficult to find.

To date, around 100 [high-redshift quasars](#) have been found mainly thanks to large-area optical and infrared surveys. This number is still insufficient for significantly advancing our knowledge about the early stages of evolution of the universe.

Now, a team of astronomers led by Estelle Pons of University of Cambridge, U.K., reports the finding of another important addition to the list of bright, high-redshift quasars. By employing the near-infrared VISTA Hemisphere Survey (VHS), the researchers have identified a new quasar at a redshift of 6.82, which received designation VHS J0411-0907.

The new QSO has been selected by spectral energy distribution (SED) classification using near-infrared data from VISTA, optical data from

the Panoramic Survey Telescope And Rapid Response System (Pan-STARRS), and mid-infrared data from NASA's Wide-field Infrared Survey Explorer (WISE).

"By combining colour-selection and SED fitting χ^2 selection, we found a new high- z quasar VHS J0411-0907 at a redshift of 6.82," the astronomers wrote in the paper.

According to the study, VHS J0411-0907 has a bolometric luminosity of about 189 quattuordecillion erg/s, black hole mass of around 613 million [solar masses](#), and an Eddington ratio of approximately 2.37. The researchers noted that these parameters make VHS J0411-0907 the quasar with the highest Eddington ratio and one of the lowest black hole masses among the known QSOs with redshifts of over 6.5.

"The high Eddington ratio of this quasar is consistent with a scenario of low-mass BH [black hole] seeds growing at super-Eddington rates," the paper reads.

Notably, VHS J0411-0907 has the brightest near-infrared J-band continuum magnitude of the nine known quasars with redshifts higher than 6.7 and is currently the highest redshift QSO detected in the Pan-STARRS survey.

VHS J0411-0907 is the seventh quasar with redshift over 6.5 discovered using VHS. Pons' team hopes that further studies using this [survey](#) will yield the detection of dozens of new [high-redshift](#) quasars.

"Based on the Jiang et al. (2016) luminosity function, we expect to detect in 10,000 deg² of VHS about 20, 34 and 15 quasars with 6.5 quasars with 7

More information: Estelle Pons et al. A new bright $z=6.82$ quasar

discovered with VISTA: VHS J0411-0907. [astro-ph.GA]
arxiv.org/abs/1812.02481

© 2018 Science X Network

Citation: New bright high-redshift quasar discovered using VISTA (2018, December 18)
retrieved 3 May 2024 from <https://phys.org/news/2018-12-bright-high-redshift-quasar-vista.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.