

Degrading permafrost puts Arctic infrastructure at risk by mid-century

December 11 2018



UAF researcher Vladimir Romanovsky poses near Fairbanks, Alaska in a place where permafrost has thawed, causing a surface disruption. Credit: University of Alaska Fairbanks

Seventy percent of the current infrastructure in the Arctic has a high potential to be affected by thawing permafrost in the next 30 years. Even meeting the climate change targets of the Paris Agreement will not substantially reduce those projected impacts, according to a new study published in *Nature Communications*.

"Much more needs to be done to prepare Alaska and Alaskans for the adverse consequences of coming changes in [permafrost](#) and climate," said Vladimir Romanovsky, a scientist with the University of Alaska Fairbanks Geophysical Institute who has been monitoring permafrost across Alaska for 25 years.

Permafrost is ground that is frozen year-round for a minimum of two years. When it thaws, it can change from solid earth into mud. In many cases, the ground will slump, leading to destructive failure in any structures erected there.

"These observations have led me to believe that the global warming is not a 'fake' but the reality," Romanovsky said. "And here, in Alaska, we are dealing already and will be dealing even more in the near future with this reality."

Romanovsky is one of the study's authors, along with researchers from Finland, Norway, Russia and Michigan. The research is the first to explicitly show the amount of fundamental [infrastructure](#) across the Northern Hemisphere that is at risk of structural failure from permafrost [thaw](#) caused by climate change.

The paper reports that by 2050, about three-quarters of the population now living on permafrost, about 3.6 million people, will be affected by damage to infrastructure from permafrost thaw. In Alaska, about 340 miles of the trans-Alaska oil pipeline traverses ground where near-surface permafrost may thaw by 2050.

"The results show that most fundamental Arctic infrastructure will be at risk, even if the Paris Agreement target is achieved," the authors write. However, after 2050, attaining the Paris Agreement goals would make a clear difference in potential damage to infrastructure.

The authors looked at measurements of ground temperature, annual thaw depth and other data to make their projections. They note that because of the uncertainties, the amount of infrastructure at risk from [permafrost thaw](#) is probably not much smaller than their estimate, but could be substantially larger.

Damage to industrial facilities such as pipelines could lead to major ecosystem disruption if it results in spills. Energy supplies, national security and general economic activity could be adversely affected as well, the authors write. The Yamal-Nenets region in northwestern Siberia is the source of more than one-third of the European Union's pipeline imports of natural gas, for example.

Many parts of the Arctic's infrastructure have relatively short lifespans. Planners and engineers need to know in detail where permafrost is most likely to thaw as they plan for replacements, upgrades and maintenance. This study mapped such areas at a resolution of 0.6 miles, allowing them to target mitigation where it is most needed.

More information: Jan Hjort et al, Degrading permafrost puts Arctic infrastructure at risk by mid-century, *Nature Communications* (2018). [DOI: 10.1038/s41467-018-07557-4](https://doi.org/10.1038/s41467-018-07557-4)

Provided by University of Alaska Fairbanks

Citation: Degrading permafrost puts Arctic infrastructure at risk by mid-century (2018,

December 11) retrieved 3 May 2024 from <https://phys.org/news/2018-12-degrading-permafrost-arctic-infrastructure-mid-century.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.