

Drones can detect protected nightjar nests

December 17 2018

Thermal-sensing cameras mounted on drones may offer a safer and more cost-effective way to locate nests of the elusive European nightjar in forestry work and construction areas, according to new research presented at the British Ecological Society's annual meeting in Birmingham today.

Ecologists from Cardiff University recently conducted a [pilot study](#) in Bryn, a Natural Resources Wales managed conifer plantation in South Wales, to test the suitability of drones to detect nest sites of the protected European nightjar.

"The current methods of searching for nightjar nests on foot are expensive and can pose a health and safety risk for people, particularly when accessing clearfell worksites", said Mike Shewring, a Ph.D. student at Cardiff University.

"Nightjars are camouflaged to look just like a fallen log or dead wood. They nest on the ground and 'sit tight' when approached to avoid detection, which makes it nearly impossible to spot them during the day when they are inactive", he added.

To test the new method, the team used the drones to take thermal photographs at [nest](#) sites, where observations and radio tracking previously showed European nightjars were breeding between May and August. Images were taken at various heights (10, 20 and 50 metres) at dawn, midday and dusk. The nests were observed from a distance to see if the drones caused any disturbance.

From the photographs, the researchers could detect nests due to the high temperature contrast between the nightjar's body (40°C) and the colder background area. Images taken at 10 metres and during cooler times of the day (dawn and dusk) proved most useful. The known elevations at which the drones were flown allowed the team to estimate the body size of the nightjars to confirm the species.

"Our preliminary findings demonstrate the potential of drones for surveying nightjars during their breeding season, allowing forestry managers to locate nests more accurately and plan their works adequately. This methodology could also have wider applications, since it could technically be adapted to detect any warm-blooded species", commented project supervisor Dr. Robert Thomas.

All nightjars sat tight on their nests during the [drone](#) flights, as they usually do to avoid being detected by predators.

"We don't know whether the nightjars perceived the drones as a predator. This would be interesting to explore in future studies to ensure that the sight and sound of drones don't have any negative impacts on the birds' stress levels or metabolism", Shewring concluded.

Mike Shewring will present a poster on his work on Monday 17 December 2018 at the British Ecological Society annual meeting. The conference will bring together 1,200 ecologists from more than 40 countries to discuss the latest research.

Provided by British Ecological Society

Citation: Drones can detect protected nightjar nests (2018, December 17) retrieved 19 April 2024 from <https://phys.org/news/2018-12-drones-nightjar.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.