

Good vibrations: Neutrons lend insight into acoustic fracking

December 14 2018, by Gage Taylor



ORNL researcher Joanna McFarlane, prepares to test a sample with the IMAGING beamline at the High Flux Isotope Reactor. Credit: ORNL/Genevieve Martin

Hydraulic fracturing contributes significantly to US energy production.



It works by tapping hard-to-reach pockets of oil and natural gas where more traditional drilling methods fall short. However, the process requires large amounts of water and chemicals, which can negatively impact public health and the environment.

A team of researchers at the Department of Energy's (DOE's) Oak Ridge National Laboratory (ORNL) are using a combination of neutron and Xray scattering to make the process safer and more efficient. They want to improve <u>hydraulic fracturing</u>, or fracking, by blasting well surfaces, or bores, with <u>acoustic energy</u>, which would enhance the ability of fracking to penetrate fractures in wells and drastically reduce the amounts of water and chemicals needed.

"There's tremendous benefit for fracking oil and gas wells with less chemicals and water," said Richard Hale, a researcher in ORNL's Nuclear Science and Engineering Directorate investigating whether acoustic energy can be used for that purpose.

Hale says the idea is to alter the essential structure of a well with ultrasonic vibrations to allow oil and gas to flow more effectively. Primarily, acoustic energy hasbeen used to clear away debris in and around the surface of the well, but Hale and the team want to take that concept to the next level to see if acoustic energy can alter the porosity and permeability of formations far below the surface to reach more isolated pockets of oil and natural gas.

"It's all about supplying energy into the formation to release hydrocarbons," explained ORNL researcher Joanna McFarlane.

"Think of a sponge filled with water," Hale added. "The water doesn't come out of the pores until you squeeze it. Acoustic energy is really, really good at squeezing these pores. In small core sample–size experiments placed in acoustic baths, we can see the oil flows easily and



rapidly from the rock."

Neutrons are uniquely able to penetrate deep into materials, making them perfect for the kind of experiments the team wants to perform. Using the Cold Neutron Imaging beamline CG-1D at ORNL's High Flux Isotope Reactor (HFIR) allowed the team to study fundamental interactions at the atomic scale. When the ore samples are placed in a bath of water and exposed to ultrasonic vibrations, images made from neutron data show the researchers in unprecedented detail how the fluids react to and move through the pores in the rock.

"HFIR is like a great big flashlight, and with that big flashlight—that big steady stream of neutrons—we can see the interaction between fluids and structures more clearly," Hale said.

Hale also notes that conducting the research at ORNL gives theteam access to leading experts in a plethora of complementary fields, making his research group a world-class team of distinguished scientists and engineers.

"The wonderful thing is no matter what idea you have, there's somebody here at the lab who's an expert. You just have to find them," he said. "I mean, this whole thing started during a lunch-break conversation."

Hale says investigating this concept would not be possible without expertise in fields as varied as geology, neutron science, x-rays, and ultrasonic acoustics.

Analyzing the fluid and structural dynamic data generated from the experiments can be computationally demanding. For improved analysis, JeanBilheux, from ORNL's Neutron Data Sciences, developed software using Jupyter Notebook, an open-source programming platform that allowed the team to visualize and interact with the data shortly after



experimentation concluded.

"The Jupyter Notebooks greatly facilitate data analysis," McFarlane said. "Although we can observe changes in the shale samples in real time in the radiographs, it will be the quantitative results that will gain us future funding."

In addition to Hale and McFarlane, the research team includes Stephen Oliver, Ayyoub M. Momen, Bruce Patton, Larry Anovitz, Philip Bingham, and the beamline staff at the HFIR CG-1D Imaging Instrument—Hassina Bilheux, Jean-Christophe Bilheux, and Paris Cornwell.

If the team can successfully demonstrate that acoustic <u>energy</u> is a viable method for fracking, they hope to find an industry partner who could help them take the idea into the next phase of development.

The research was supported by DOE's Office of Science, Office of Basic Energy Sciences, Chemical Sciences, Geosciences, and Biosciences Division.

Provided by Oak Ridge National Laboratory

Citation: Good vibrations: Neutrons lend insight into acoustic fracking (2018, December 14) retrieved 27 June 2024 from <u>https://phys.org/news/2018-12-good-vibrations-neutrons-insight-acoustic.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.