

Grim tidings from science on climate change

December 1 2018, by Marlowe Hood



Experts say there are clear links between climate change and increases in the intensity and frequency of extreme weather—such as droughts, wildfires, heatwaves, floods and cyclones

Scientists monitoring the Earth's climate and environment have delivered a cascade of grim news this year, adding a sense of urgency to UN talks starting Sunday in Poland on how best to draw down the greenhouse

gases that drive global warming.

The 2015 Paris Agreement calls on humanity to block the rise in Earth's temperature at "well below" 2 degrees Celsius (3.6 Fahrenheit) compared to preindustrial levels, and 1.5C if possible.

Here is a summary of recent findings:

1 degree

Earth's average surface temperature from January to October 2018 was one degree Celsius (1.8 degrees Fahrenheit) higher than the 1850-1900 baseline.

Long-term warming is caused by the accumulation of heat-trapping greenhouse gases in the atmosphere, especially carbon dioxide (CO₂) cast off when fossil fuels are burned to produce energy.

Seventeen of the hottest years on record have occurred since the start of the 21st century, with 2018 ranking as the 4th warmest.

405.5 ppm


The concentration of carbon dioxide (CO₂) in the atmosphere reached 405.5 parts per million (ppm) in 2017, the highest in at least three million years and a 45 percent jump since the preindustrial era.

The last time CO₂ was at that level, oceans were 10-20 metres higher.

Concentrations of the second most important greenhouse gas, methane (CH₄), have also risen sharply due to leakage from the gas industry's fracking boom and flatulence from expanding livestock.

Worldwide greenhouse gas emissions

Overall and per capita, 2014 (latest data)



The world's top 10 greenhouse gas emitting countries

Emissions

After remaining stable for three years, carbon pollution increased more than one percent in 2017 to 53.5 billion tonnes of CO₂-equivalent, a measure which includes all main greenhouse gases. Emissions are on track to climb again in 2018.

At that pace, Earth will pass the 1.5C marker as early as 2030.

To cap global warming at 2C, emissions must decline a quarter within a dozen years. To stay under 1.5C, they will have to drop by more than half.

Melting ice

Arctic summer sea ice shrank in 2018 to a low of 4.59 million square kilometres (1.77 million square miles), well above the record low of 3.39 million square kilometres set in 2012.

But long-term trends are unmistakable: Arctic sea ice cover is declining at a rate of more than 13 percent per decade, relative to the 1981-2010 average.

Climate models predict the Arctic Ocean could, in some years, be ice-free as early as 2030.

Extreme events

The World Meteorological Organization (WMO) says there are clear links between climate change and increases in the intensity and frequency of extreme weather.

The number of climate-related extreme events—such as droughts, wildfires, heatwaves, floods and cyclones—has doubled since 1990, research has shown.



Since 1993, the global ocean watermark has gone up by more than 85mm (3.3 inches)

The intensity of typhoons battering China, Taiwan, Japan and the Korean Peninsula since 1980 has increased by 12 to 15 percent.

Natural disasters drive more than 25 million people into poverty every year, according to the World Bank, and cause annual losses in excess of half a trillion dollars (440 billion euros).

84.8 millimetres

Water that expands as it warms and runoff from ice sheets atop Greenland and Antarctica currently add about three millimetres (0.12 inches) to sea levels per year. Since 1993, the global ocean watermark has gone up by more than 85mm (3.3 inches).

That pace is likely to pick up, threatening the homes and livelihoods of tens of millions of people in low-lying areas around the world.

Melting glaciers could lift sea levels a metre (three feet) by 2100, and—with only 2C of warming—by several metres more over the following centuries.

1/5 of species affected

Of the 8,688 animal and plant species listed as "threatened" on the International Union for the Conservation of Nature's (IUCN) Red List, a fifth have been hit by climate change.

From 1970 to 2014, the global population of vertebrates—birds, reptiles, amphibians, mammals and fish—plummeted by about 60 percent, due mainly to killing for food or profit, and habitat loss.

The number of species is declining 100 to 1,000 times faster than only centuries ago, which means the planet has entered a "mass extinction event"—only the sixth in the last half-billion years.

Sources: NASA, NSIDC, UNEP, WMO, IPCC, peer-reviewed studies.

© 2018 AFP

Citation: Grim tidings from science on climate change (2018, December 1) retrieved 3 May 2024 from <https://phys.org/news/2018-12-grim-tidings-science-climate.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.