

# Machine learning-detected signal predicts time to earthquake

December 18 2018, by Nancy Ambrosiano

---



Los Alamos National Laboratory researchers applied machine-learning expertise to predict quakes along Cascadia, a 700-mile-long fault from northern California to southern British Columbia that flanks cities such as Seattle. The results are published today in two papers in *Nature Geoscience*. Credit: Los Alamos National Laboratory

Machine-learning research published in two related papers today in *Nature Geoscience* reports the detection of seismic signals accurately predicting the Cascadia fault's slow slippage, a type of failure observed to precede large earthquakes in other subduction zones.

Los Alamos National Laboratory researchers applied machine learning to analyze Cascadia data and discovered the megathrust broadcasts a constant tremor, a fingerprint of the fault's displacement. More importantly, they found a direct parallel between the loudness of the fault's acoustic signal and its physical changes. Cascadia's groans, previously discounted as meaningless noise, foretold its fragility.

"Cascadia's behavior was buried in the data. Until machine learning revealed precise patterns, we all discarded the continuous signal as noise, but it was full of rich information. We discovered a highly predictable sound pattern that indicates slippage and fault failure," said Los Alamos scientist Paul Johnson. "We also found a precise link between the fragility of the fault and the signal's strength, which can help us more accurately predict a megaquake."

The new papers were authored by Johnson, Bertrand Rouet-Leduc and Claudia Hulbert from the Laboratory's Earth and Environmental Sciences Division, Christopher Ren from the Laboratory's Intelligence and Space Research Division and collaborators at Pennsylvania State University.

Machine learning crunches massive seismic data sets to find distinct patterns by learning from self-adjusting algorithms to create decision trees that select and retest a series of questions and answers. Last year, the team simulated an earthquake in a laboratory, using steel blocks interacting with rocks and pistons, and recorded sounds that they analyzed by machine learning. They discovered that the numerous [seismic signals](#), previously discounted as meaningless noise, pinpointed

when the simulated fault would slip, a major advance towards earthquake prediction. Faster, more powerful quakes had louder signals.

The team decided to apply their new paradigm to the [real world](#): Cascadia. Recent research reveals that Cascadia has been active, but noted activity has been seemingly random. This team analyzed 12 years of real data from seismic stations in the region and found similar signals and results: Cascadia's constant tremors quantify the displacement of the slowly slipping portion of the subduction zone. In the laboratory, the authors identified a similar signal that accurately predicted a broad range of fault failure. Careful monitoring in Cascadia may provide new information on the locked zone to provide an early warning system.

**More information:** Claudia Hulbert et al. Similarity of fast and slow earthquakes illuminated by machine learning, *Nature Geoscience* (2018). [DOI: 10.1038/s41561-018-0272-8](https://doi.org/10.1038/s41561-018-0272-8)

Bertrand Rouet-Leduc et al. Continuous chatter of the Cascadia subduction zone revealed by machine learning, *Nature Geoscience* (2018). [DOI: 10.1038/s41561-018-0274-6](https://doi.org/10.1038/s41561-018-0274-6)

Provided by Los Alamos National Laboratory

Citation: Machine learning-detected signal predicts time to earthquake (2018, December 18) retrieved 10 April 2024 from <https://phys.org/news/2018-12-machine-learning-detected-earthquake.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--