


# Unusual ultraluminous X-ray source discovered in the galaxy Messier 86

December 5 2018, by Tomasz Nowakowski

---



Chandra images of the  $1 \times 1$  arcmin field centred around M86 tULX-1 on 2013 July 24-25 (left), and the same field on 2016 May 2 (right). Credit: van Haften et al., 2018.

Using data provided by NASA's Chandra spacecraft, astronomers have identified a new unusual ultraluminous X-ray source (ULX) in the elliptical galaxy Messier 86. The newly found ULX, designated M86

tULX-1, resides some 62,000 light years away from the galaxy's center. The finding is reported in a paper published November 26 on arXiv.org.

ULXs are point sources in the sky that are so bright in X-rays that each emits more radiation than 1 million suns emit at all wavelengths. They are less luminous than [active galactic nuclei](#), but more consistently luminous than any known stellar process. Although numerous studies of ULXs have been conducted, the basic nature of these sources still remains unsolved.

Usually there is one ULX per galaxy in galaxies that host them, but some galaxies were found to contain many such sources. While ULXs are most commonly found in spiral galaxies, starburst galaxies and in or close to star-forming regions within [galaxies](#), smaller numbers of these sources reside in [elliptical galaxies](#).

Located some 52 million light years away in the Virgo Cluster, Messier 86, or M86 (also known as NGC 4406) turns out to be such an elliptical galaxy hosting at least two ULXs. According to a new study conducted by a team of astronomers led by Lennart M. van Haaften of Texas Tech University, archival data from Chandra X-ray Observatory's Advanced CCD Imaging Spectrometer show that M86 contains a ULX located about 62,000 [light years](#) northwest of the center of the galaxy. The newly found ULX is therefore the second such source in M86, after CXO J122611.830+125647.80, which was identified in 2011.

"In this paper we report the discovery of CXOU J122602.3+125951 (hereafter M86 tULX-1), a ULX, in the giant Virgo Cluster elliptical galaxy M86," the researchers wrote in the paper. The study found that M86 tULX-1 has an X-ray luminosity of approximately 5.0 duodecillion erg/s, soft excess X-ray luminosity of 1.9 duodecillion erg/s, and an inner disc temperature of 0.66 keV.

The researchers emphasized that relatively hard spectrum and transient behavior of M86 tULX-1, along with its other properties like high luminosity and location in the field of an elliptical galaxy, make this source an unusual ULX.

When it comes to the nature of M86 tULX-1, the authors of the paper favor two scenarios. They assume that this source may be a stellar-mass black hole of about 30 to 100 times more massive than our sun accreting matter from a low-mass giant companion. The second most plausible hypothesis is that it is a stellar-mass black hole in a transitional state between the normal stellar-mass black holes and those in the ultraluminous state.

Other scenarios taken into account that could explain the nature of M86 tULX-1 are: [active galactic nucleus](#), gravitational microlensing event, tidal disruption event, cataclysmic variable, flare star or very faint X-ray transient in the Galactic halo, and supernova or gamma-ray afterglow.

The team concluded that follow-up observations of M86 tULX-1 with XMM-Newton and James Webb Space Telescope (JWST) would be much helpful in order to better constrain the nature of this source.

**More information:** Discovery of a transient ultraluminous X-ray source in the elliptical galaxy M86, arXiv:1811.10595 [astro-ph.HE] [arxiv.org/abs/1811.10595](https://arxiv.org/abs/1811.10595)

© 2018 Science X Network

Provided by Science X Network

Citation: Unusual ultraluminous X-ray source discovered in the galaxy Messier 86 (2018, December 5) retrieved 21 June 2024 from <https://phys.org/news/2018-12-unusual-ultraluminous->

[x-ray-source-galaxy.html](http://x-ray-source-galaxy.html)

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.