


A new approach to improve the catalysts for hydrogen evolution reaction

January 23 2019



Credit: CC0 Public Domain

An international collaboration between researchers in Spain and Scotland has resulted in a new approach to improve the catalysts needed to carry out the hydrogen evolution reaction (HER). The reaction, in which water is transformed into hydrogen and oxygen, is a promising alternative to humanity's dependency on fossil fuels to satisfy energy requirements.

The results, published in *Nature Communications*, demonstrate that molecular HER-catalysts can work in an efficient manner while highlighting the fundamental importance of understanding the underlying [catalyst-water](#) interactions and the fine balance of numerous parameters affecting the evolution of hydrogen.

Carles Bo, [group leader](#) at the Institute of Chemical Research of Catalonia (ICIQ), is one of the lead authors on the paper. He said: "We are trying to find catalysts cheaper than the noble-metal based ones used right now, to make economically viable the production of hydrogen from water.

"These findings will accelerate the development of a hydrogen-based economy."

The combination of theoretical and experimental approaches has allowed the scientists to gain some mechanistic insights into the Hydrogen Evolution Reaction and to explore how the new catalysts work.

Dr. Haralampos Miras, senior lecturer at the University of Glasgow's School of Chemistry, said: "We are interested in making molecules designed to tackle challenging tasks such as the evolution of hydrogen from water and understand how these molecules work."

MoS₂ is a promising material for the electrocatalytic generation of hydrogen from water. However, tuning the 2-D material for an efficient catalyst-water interaction is no trivial matter. Here, the scientists have used MoS₂ as a starting point to design molecular analogues that mimic its catalytically active sites while exposing a high number of them.

The family of molecular catalysts described in the paper were designed using modular approaches that ensure an efficient interaction between the catalytic sites and the water molecules – while avoiding expensive

noble metals. The fact that the new catalysts' synthesis is carried out open to air and in a simple two-step process, hints at the approaches' potential for scalability and its economic viability to compete with state-of-the-art platinum-based catalysts.

The result of the EU funded COST Action Polyoxometalate Chemistry for Molecular Nanoscience (PoCheMoN), the scientists have worked together for several years to develop the approach unveiled in the paper.

Dr. Miras added: "It becomes apparent even to the most skeptical members of public and political figures that the depleting [fossil fuels](#) reserves and the unprecedented environmental consequences that we are already experiencing, require urgent and decisive actions. Our work is part of a worldwide effort towards a [hydrogen](#)-based economy. We anticipate these findings to be a starting point for further exploration of molecular catalytic systems and inspire others in an effort to tackle challenging scientific issues."

More information: James McAllister et al. Tuning and mechanistic insights of metal chalcogenide molecular catalysts for the hydrogen-evolution reaction, *Nature Communications* (2019). [DOI: 10.1038/s41467-018-08208-4](#)

Provided by University of Glasgow

Citation: A new approach to improve the catalysts for hydrogen evolution reaction (2019, January 23) retrieved 18 April 2024 from <https://phys.org/news/2019-01-approach-catalysts-hydrogen-evolution-reaction.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.