

Mars rover Curiosity makes first gravitymeasuring traverse on the Red Planet

January 31 2019



In a selfie taken in mid-January 2019, Mars rover Curiosity prepares to enter a new, clay-mineral-rich unit on its traverse up Mount Sharp in Gale Crater. Mission scientists are anxious to see what a new gravity-measuring technique will reveal about the mountain and Gale Crater's history. Credit: NASA/JPL-Caltech/MSSS

A clever use of non-science engineering data from NASA's Mars rover Curiosity has let a team of researchers, including an Arizona State



University graduate student, measure the density of rock layers in 96-mile-wide Gale Crater.

The findings, to be published February 1, 2019, in the journal *Science*, show that the layers are more porous than scientists had suspected. The discovery also gives scientists a novel technique to use in the future as the <u>rover</u> continues its trek across the <u>crater</u> and up Mount Sharp, a three-mile-high mountain in its center.

"What we were able to do is measure the bulk density of the material in Gale Crater," says Travis Gabriel, a graduate student in ASU's School of Earth and Space Exploration. He worked on computing what the grain density should be for the rocks and ancient lakebed sediments the rover has been driving over.

"Working from the rocks' mineral abundances as determined by the Chemistry and Mineralogy instrument, we estimated a grain density of 2810 kilograms per cubic meter," he says. "However the bulk density that came out of our study is a lot less—1680 kilograms per cubic meter."

The much lower figure shows that the rocks have a reduced density most likely resulting from the rocks being more porous. This means the rocks have been compressed less than scientists have thought.

Like a Smartphone, but better

The engineering sensors used in the study were accelerometers and gyroscopes, much like those found in every smartphone. In a phone, these determine its orientation and motion. Curiosity's sensors do the same, but with much greater precision, helping engineers and mission controllers navigate the rover across the martian surface.



But while the rover is standing still, the accelerometers also measure the local force of gravity at that spot on Mars.



Measurements using Curiosity's engineering accelerometers (gray) show a



decrease in the strength of gravity as the rover climbs Mount Sharp. The rate of decrease of the modeled gravity signal (black) allowed the study's authors to measure the density of the rocks that make up Mount Sharp. Credit: Kevin Lewis

The team took the engineering data from the first five years of the mission—Curiosity landed in 2012—and used it to measure the gravitational tug of Mars at more than 700 points along the rover's track. As Curiosity has been ascending Mount Sharp, the mountain began to tug on it, as well—but not as much as scientists expected.

"The lower levels of Mount Sharp are surprisingly porous," says lead author Kevin Lewis of Johns Hopkins University. "We know the bottom layers of the mountain were buried over time. That compacts them, making them denser. But this finding suggests they weren't buried by as much material as we thought."

Making Mount Sharp

Planetary scientists have long debated the origin of Mount Sharp. Mars craters the size of Gale have central peaks raised by the shock of the impact that made the crater. This would account for part of the mound's height. But the upper layers of the mound appear to be made of windscoured sediments more easily eroded than rock.

Did these sediments once fill the entire bowl of Gale Crater? If so, they might have weighed heavily on the materials at the base, compacting them.

But the new findings suggest Mount Sharp's lower layers have been compacted by only a half-mile to a mile (1 to 2 kilometers) of material—much less than if the crater had been completely filled.



"There are still many questions about how Mount Sharp developed, but this paper adds an important piece to the puzzle," said Ashwin Vasavada, Curiosity's project scientist at NASA's Jet Propulsion Laboratory in Pasadena, California, which manages the mission. "I'm thrilled that creative scientists and engineers are still finding innovative ways to make new scientific discoveries with the rover."

Gabriel adds, "This is a testament to the utility of having a diverse set of techniques with the Curiosity rover, and we're excited to see what the upper layers of Mount Sharp have in store."

More information: K.W. Lewis at Johns Hopkins University in Baltimore, MD el al., "A surface gravity traverse on Mars indicates low bedrock density at Gale crater," *Science* (2019). <u>science.sciencemag.org/lookup/ ... 1126/science.aat0738</u>

Provided by Arizona State University

Citation: Mars rover Curiosity makes first gravity-measuring traverse on the Red Planet (2019, January 31) retrieved 2 May 2024 from <u>https://phys.org/news/2019-01-mars-rover-curiosity-gravity-measuring-traverse.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.